

HEDGING AND PORTFOLIO OPTIMIZATION IN FINANCIAL MARKETS WITH A LARGE TRADER

PETER BANK

Institut für Mathematik, Humboldt-Universität zu Berlin

DIETMAR BAUM

Structured Credit Trading, Bank of America House, London

We introduce a general continuous-time model for an illiquid financial market where the trades of a single large investor can move market prices. The model is specified in terms of parameter-dependent semimartingales, and its mathematical analysis relies on the nonlinear integration theory of such semimartingale families. The Itô–Wentzell formula is used to prove absence of arbitrage for the large investor, and, using approximation results for stochastic integrals, we characterize the set of approximately attainable claims. We furthermore show how to compute superreplication prices and discuss the large investor’s utility maximization problem.

KEY WORDS: large investor, feedback effect, Itô–Wentzell formula, parameter dependent semimartingales, uniform approximation of stochastic integrals

1. INTRODUCTION

Most financial market models considered in the field of mathematical finance assume perfect elasticity for the supply and demand of traded assets so that orders of arbitrary size do not affect asset prices. This assumption is justified as long as one considers “small investors” whose trading volume is easily covered by market liquidity. However, if there is a “large investor” in the market, whose orders involve a significant part of the available shares, market prices will no longer evolve independently of the trading strategies chosen by this big player. It then becomes an issue how the large investor should account for this feedback effect when he chooses his portfolio strategy.

A number of suggestions on how to formalize this problem in a mathematical model have been made. Jarrow (1992, 1994) proposed a discrete-time framework where prices depend on the large trader’s activities via a reaction function of his instantaneous holdings. Frey and Stremme (1997) developed a continuous time analogue of this framework which essentially forms the basis also of Platen and Schweizer (1998) and Papanicolaou and Sircar (1998). Kyle (1985) and Back (1992) used an equilibrium approach to obtain similar asset price dynamics in the presence of an insider. In contrast to these contributions in

We thank Hans Föllmer, Rüdiger Frey, Peter Imkeller, and Martin Schweizer for helpful discussions and comments. We also acknowledge the helpful suggestions of an anonymous referee. Support to the first author from Deutsche Forschungsgemeinschaft through SFB 373, “Quantification and Simulation of Economic Processes,” is gratefully acknowledged.

Manuscript received April 2002; final revision received August 2002.

Address correspondence to Peter Bank, Humboldt-Universität zu Berlin, Institut für Mathematik, Unter den Linden 6, D100999, Berlin, Germany; e-mail: pbank@mathematik.hu-berlin.de.

which prices directly depend on the large investor's holdings via a reaction function, Cuoco and Cvitanic (1998) and Cvitanic and Ma (1996) studied a diffusion model for the price dynamics where feedback is rather indirect as only the drift and volatility coefficients depend on the large investor's trading strategy.

In the present paper, we assume that there is a family of semimartingales P^ϑ ($\vartheta \in \mathbb{R}$) that specify the dynamics of the illiquid asset when the large investor's position is kept constant at a certain level ϑ . This yields a time-varying reaction function $\vartheta \mapsto P^\vartheta$ which allows us to define the asset price dynamics in the same manner as in the reaction diffusion setting of Frey and Stremme. This model is similar to an approach developed by Çetin, Jarrow, and Protter (2002) and Çetin, Jarrow, Protter, and Warachka (2002). A conceptually crucial difference between their approach and ours, however, is that in their model the price effect of an order is limited to the very moment when the order is placed in the market, whereas in our reaction function model the effect of an order will persist until the next order makes asset prices follow a possibly different dynamics.

The feedback between asset prices and the large investor's trading strategy entails two competing aspects. On the one hand, the large investor might be able to (ab)use his market power in order to manipulate market prices in his favor. On the other hand, illiquidity causes transaction costs since the large investor's orders are only exercised after prices have adversely adjusted to them so that the large investor always has to trade on the "bad" side. It is therefore interesting to investigate if there are any arbitrage opportunities for the large investor. In a mathematically rigorous manner, this question was first addressed in the discrete-time account of Jarrow (1992) who proved absence of arbitrage for the large investor under the assumption of absence of arbitrage for small investors in periods where the large investor does not trade. Using an approximation argument, this result was subsequently extended by Bierbaum (1997) to (essentially) the continuous-time reaction function setting of Frey and Stremme (1997). Instead of building on Jarrow's discrete-time result, we give a more direct martingale theoretic proof for absence of arbitrage under essentially the same condition. Our approach is based on the Itô–Wentzell formula for parameter-dependent semimartingales which allows us to give an explicit decomposition of the real wealth dynamics into the profits and losses that are due to exogenous random shocks and into transaction costs caused by illiquidity.

The real wealth dynamics reveals that in order to avoid transaction costs, the large investor should use continuous trading strategies of bounded variation. Therefore, it is interesting to determine which payoff profiles can be approximately attained by such strategies, and we do this by showing how to uniformly approximate an arbitrary stochastic integral by other stochastic integrals with continuous integrands of bounded variation. This supplements an approximation result for stochastic integrals obtained in Levental and Skorohod (1997). The economic implication of this result is that our large investor model inherits many properties of its underlying primal small investor models. Indeed, it turns out that under some natural assumptions the attainable claims in a suitable small investor model become approximately attainable in our large investor setting. Similarly, one can reduce the computation of superreplication prices from the large investor's viewpoint to the computation of superreplication prices in a small investor model. As a consequence, the large investor can obtain the same utility as a small investor in an associated model.

The present paper is organized as follows. Section 1 introduces a general semimartingale model for the price fluctuations of an illiquid financial asset. Section 2 provides the dynamics of the real wealth process and proves absence of arbitrage for the large investor. Section 3 contains our approximation result for stochastic integrals and

characterizes approximately attainable claims; it furthermore discusses the large investor's utility maximization problem. Section 4 shows how to compute superreplication prices for manipulable derivatives. Section 5 concludes. Some more technical arguments are relegated to the Appendix.

2. PRICE DYNAMICS IN THE PRESENCE OF A LARGE INVESTOR

We consider a financial market containing a risky stock and a riskless bond paying interest at some rate r . There is one large investor in the market whose trades may affect the price process of the risky asset, but *not* the riskless interest rate. Hence, by passing to discounted prices, we may assume without loss of generality that the interest rate is fixed at $r \equiv 0$. To specify our model for the price evolution of the imperfectly elastic risky asset, let us fix a filtered probability space $(\Omega, \mathcal{F}, \mathbb{P}, \mathbb{F})$ with a filtration $\mathbb{F} = (\mathcal{F}_t)_{0 \leq t \leq T}$ satisfying the usual conditions of right continuity and completeness; \mathcal{F}_0 is trivial modulo \mathbb{P} . As a primitive for our model, we assume a family of continuous semimartingales $P^\vartheta = (P_t^\vartheta)_{0 \leq t \leq T}$ ($\vartheta \in \mathbb{R}$). The process P^ϑ is interpreted as a model for the price fluctuations of the risky asset given that the large investor holds a *constant* stake of ϑ shares in this asset. If the large investor chooses a time-varying strategy $\theta = (\theta_t)_{0 \leq t \leq T}$, the resulting asset price evolution can then be modeled as

$$(2.1) \quad P_t^\theta = P(\theta_t, t) \triangleq P_t^{\theta_t} \quad (0 \leq t \leq T).$$

We give two important examples which are covered by this setting.

EXAMPLE 2.1a. A simple example is a classical Black–Scholes model with a Brownian motion B and parameter-dependent drift and volatility:

$$(2.2) \quad dP_t^\vartheta = P_t^\vartheta (\mu_t^\vartheta dt + \sigma_t^\vartheta dB_t) \quad (\vartheta \in \mathbb{R}).$$

Note that even though the dynamics very much resemble the setting of Cvitanic and Ma (1996) and Cuoco and Cvitanic (1998) there is a crucial difference between our model and their diffusion model: In their model only the drift and volatility parameter will change immediately when the large investor changes his position, whereas in our model the asset price itself also will change in general. For instance, when the large investor liquidates a position of θ_T shares, at time T say, this does not affect the asset price immediately at time T in the model of Cvitanic, Ma, and Cuoco; in contrast, in our model the price will immediately move from $P_T^{\theta_T}$ before liquidation to P_T^0 after liquidation.

EXAMPLE 2.1b. The reaction diffusion setting of, for example, Frey and Stremme (1997) is also included in this setting because in such a framework we may choose

$$(2.3) \quad P_t^\vartheta = \psi(t, B_t, \vartheta) \quad (\vartheta \in \mathbb{R})$$

for some smooth function $\psi : [0, T] \times \mathbb{R} \times \mathbb{R} \rightarrow \mathbb{R}$.

Plainly, without additional assumptions, asset price fluctuations driven by (2.1) may be unreasonably strong unless we restrict the class of strategies θ at the large investor's disposal. A convenient restriction is that the large investor is confined to use strategies that are semimartingales with respect to (\mathbb{P}, \mathbb{F}) . Indeed, in conjunction with a smoothness

assumption on $\vartheta \mapsto P^\vartheta$ this will ensure that, as usual, asset prices follow a general semimartingale dynamics; see Corollary 2.5.

DEFINITION 2.2. A family of semimartingales S^ϑ ($\vartheta \in \mathbb{R}$) is called *smooth* if it satisfies the following conditions:

- (i) Every S^ϑ ($\vartheta \in \mathbb{R}$) is a *continuous* semimartingale with Doob–Meyer decomposition $S^\vartheta = M^\vartheta + A^\vartheta$.
- (ii) The covariation processes $[M^\vartheta, M^{\vartheta'}]$ ($\vartheta, \vartheta' \in \mathbb{R}$) and compensators A^ϑ ($\vartheta \in \mathbb{R}$) can be chosen so that for every $(\omega, t) \in \Omega \times [0, T]$ we have
 - $[M^\vartheta, M^{\vartheta'}]_t(\omega)$ is twice continuously differentiable in (ϑ, ϑ') , and the respective second derivatives are locally Hölder-continuous for some index $\delta > 0$,
 - $A_t^\vartheta(\omega)$ is once continuously differentiable in $\vartheta \in \mathbb{R}$.
- (iii) There exists an adapted process A with increasing and continuous paths such that each covariation process $[M^\vartheta, M^{\vartheta'}]$ ($\vartheta, \vartheta' \in \mathbb{R}$) and every compensator A^ϑ ($\vartheta \in \mathbb{R}$) is absolutely continuous with respect to A .

As shown in Kunita (1990, Chap. 3.1), we can modify the martingales occurring in the Doob–Meyer decompositions $S^\vartheta = M^\vartheta + A^\vartheta$ ($\vartheta \in \mathbb{R}$) associated with a smooth semimartingale family S so that $M_t^\vartheta(\omega)$ becomes twice continuously differentiable in $\vartheta \in \mathbb{R}$ for any $(\omega, t) \in \Omega \times [0, T]$. Thus, whenever in the sequel we consider a smooth family of semimartingales we may and will work with such a nice version.

PROPOSITION 2.3 (Itô–Wentzell formula). *Let S^ϑ ($\vartheta \in \mathbb{R}$) be a smooth family of semimartingales. Then, for any RCLL semimartingale θ , the process $S(\theta, t) \triangleq S_t^{\theta_t}$ ($0 \leq t \leq T$) is again a semimartingale and its dynamics are described by*

$$\begin{aligned} S(\theta, t) - S(\theta_{0-}, 0) &= \int_0^t S(\theta_{s-}, ds) + \int_0^t S'(\theta_{s-}, s) d\theta_s + \left[\int_0^\cdot S'(\theta_{s-}, ds), \theta \right]_t \\ &\quad + \frac{1}{2} \int_0^t S''(\theta_{s-}, s) d[\theta]_s^c + \sum_{0 \leq s \leq t} \{ \Delta S(\theta_s, s) - S'(\theta_{s-}, s) \Delta \theta_s \}, \end{aligned}$$

where $\int_0^\cdot S(\theta_{s-}, ds)$ denotes the stochastic integral of θ_- with respect to the semimartingale kernel $S(\vartheta, ds)$ and where all derivatives are taken with respect to ϑ .

Proof. For continuous θ this follows from Theorem 3.3.1 in Kunita (1990). For θ with jumps the proof is a straightforward extension of the argument in Kunita—for example, using the techniques of Protter (1990) to prove the general Itô–formula with jumps. \square

REMARK 2.4. Kunita (1990, Chap. 3.2) gives a detailed account of how to construct stochastic integrals with respect to a semimartingale kernel $S(\vartheta, ds)$ by starting from the elementary definition

$$\int_0^t S(\theta_s, ds) \triangleq \sum_i \{ S(\theta_{s_i \wedge t}, s_{i+1} \wedge t) - S(\theta_{s_i \wedge t}, s_i \wedge t) \} \quad (0 \leq t \leq T)$$

for simple integrands of the form $\theta = \sum_i \theta_i 1_{(s_i, s_{i+1}]}$ with $0 \leq s_0 < \dots \leq s_n \leq T$ and $\theta_i \in L^0(\mathcal{F}_{s_i})$. The quadratic variation of $\int_0^\cdot S(\theta_s, ds)$ is given by

$$\left[\int_0^\cdot S(\theta_s, ds) \right]_t = \int_0^t a(\theta_s, \theta_s, s) dA_s \quad (0 \leq t \leq T),$$

where A is the dominating increasing process of Definition 2.2(iii) and $a = a(\vartheta, \vartheta', \omega, s)$ denotes a (ϑ, ϑ') -continuous choice of the densities $d[M^\vartheta, M^{\vartheta'}]_s/dA_s$ ($\vartheta, \vartheta' \in \mathbb{R}$).

An immediate consequence of the preceding proposition is the following corollary.

COROLLARY 2.5. *If the primal semimartingales P^ϑ ($\vartheta \in \mathbb{R}$) define a smooth semimartingale family, then the asset price process (2.1) follows a semimartingale dynamics for any semimartingale strategy θ of the large investor.*

To ensure reasonable price fluctuations, we therefore introduce the following standing assumption:

ASSUMPTION 1. *The family of semimartingales P^ϑ ($\vartheta \in \mathbb{R}$) is smooth in the sense of Definition 2.2.*

3. WEALTH DYNAMICS AND NO ARBITRAGE

A crucial viability question in every financial market model is whether it allows for profits without risk—that is, whether it allows for arbitrage. For models with small investors this question has been solved in great generality by the celebrated fundamental theorem of asset pricing; see Delbaen and Schachermayer (1998) and the references therein. Rather few investigations, however, deal with this question from the perspective of a large investor whose orders *directly* influence stock prices. In a discrete time framework, Jarrow (1992) proved absence of arbitrage for large investors under the assumption that small investors cannot produce riskless profits in periods where the large investor does not trade. Using an approximation argument, Bierbaum (1997) extended this result (essentially) to the reaction diffusion model of Frey and Stremme (1997).

In order to investigate the question of existence of arbitrage opportunities in our more general model, we first want to clarify the wealth dynamics that are generated by self-financing portfolio strategies. To this end, consider a semimartingale strategy $\theta = (\theta_t)_{0 \leq t \leq T}$ for the large investor which describes the number of shares held by the investor at each point in time. His (discounted) holdings in the bank account β^θ will then evolve according to the dynamics

$$\beta_t^\theta = \beta_{0-} - \int_0^t P(\theta_{s-}, s) d\theta_s - [P(\theta, \cdot), \theta]_t \quad (0 \leq t \leq T).$$

Here, the quadratic variation term implies that asset prices are affected by the large investor's orders *before* these are actually exercised. Indeed, assume, for instance, the order is of size $\Delta\theta_t > 0$. Then the large investor's bank account will be charged

$$\Delta\beta_t^\theta = -P(\theta_{t-}, t)\Delta\theta_t - \Delta P(\theta_t, t)\Delta\theta_t = -P(\theta_t, t)\Delta\theta_t,$$

and so he has to pay $P(\theta_t, t)$ for each of his $\Delta\theta_t$ ordered shares. This price will be no less than the preorder price $P(\theta_{t-}, t)$ if we impose the following natural condition.

ASSUMPTION 2. *Asset prices are nondecreasing with respect to the large investor's position: $P^\vartheta \leq P^{\vartheta'}$ for $\vartheta \leq \vartheta'$.*

This assumption is crucial for our model to exclude trivial arbitrage opportunities. In fact, suppose that at some point in time t we have $P(\vartheta, t) > P(\vartheta', t)$ for some $\vartheta < \vartheta'$. Then a large investor could increase his number of shares from ϑ to ϑ' at costs $P(\vartheta', t)\{\vartheta' - \vartheta\}$. Having done so, he very shortly afterward could reduce his number of shares to the original amount ϑ , receiving about $P(\vartheta, t)\{\vartheta' - \vartheta\}$. The overall proceeds from such an in-and-out strategy would be $\{P(\vartheta, t) - P(\vartheta', t)\}\{\vartheta' - \vartheta\} > 0$; thus, the large investor could make a profit without taking risk.

Let us now describe the wealth dynamics induced by a large investor strategy. Assume that at some time t the large investor has β_t^θ in the bank account and a stock position of θ_t shares. The *book* or *paper value* of his portfolio is then

$$W_t^\theta \triangleq \beta_t^\theta + P(\theta_t, t)\theta_t.$$

However, if the investor were forced to liquidate his stock position immediately by a single block trade, he would not be able to trade his shares at price $P(\theta_t, t)$ but only at $P(0, t)$ and, therefore, the *block liquidation value* of his position would be

$$\tilde{V}_t^\theta \triangleq \beta_t^\theta + P(0, t)\theta_t.$$

Clearly, selling a huge position of shares en bloc can be very disadvantageous as prices will fall before such large sell orders are exercised. Hence, the difference between book value and block liquidation value $W_t^\theta - \tilde{V}_t^\theta = (P(\theta_t, t) - P(0, t))\theta_t \geq 0$ can be quite substantial. In such a situation, it would be more convenient to split the order into smaller packages which would then be sold one after the other over a small time period. In our model, it is not difficult to see that in the limit as the packages become ever smaller and as the duration for liquidation tends to 0 the proceeds from such a fast liquidation strategy become

$$(3.1) \quad L(\vartheta, t) \triangleq \int_0^\vartheta P(x, t) dx,$$

where $\vartheta = \theta_t$ denotes the large investor's number of shares before liquidation.

REMARK 3.1. The above asymptotic description of liquidation proceeds also occurs in Back (1992) and Schönbucher and Wilmott (2000). Note that here and in the sequel we follow the usual sign convention $\int_a^b \cdots \triangleq -\int_b^a \cdots$ in case $b < a$.

Note that under Assumption 3 the asymptotic liquidation proceeds $L(\vartheta, t)$ from a position of ϑ shares always lies between the position's book value $P(\vartheta, t)\vartheta$ and its block liquidation value $P(0, t)\vartheta$. This leads us to define the asymptotically *realizable* or *real wealth* achieved by a trading strategy θ until time t as

$$V_t^\theta \triangleq \beta_t^\theta + L(\theta_t, t).$$

Plainly, book value, block liquidation value, and real wealth coincide whenever $\theta_t = 0$.

It turns out that in contrast to the dynamics of the book value, the dynamics of the realizable wealth are quite tractable and transparent. The explicit dynamics we obtain for the realizable wealth in the following lemma will be used extensively in the remainder of

the text when dealing with the problems of hedging and portfolio optimization from the perspective of a large investor.

LEMMA 3.2. *For any self-financing semimartingale strategy θ , the dynamics of the real wealth process V^θ is given by*

$$(3.2) \quad V_t^\theta - V_{0-}^\theta = \int_0^t L(\theta_{s-}, ds) - \frac{1}{2} \int_0^t P'(\theta_{s-}, s) d[\theta]_s^c - \sum_{0 \leq s \leq t} \int_{\theta_{s-}}^{\theta_s} \{P(\theta_s, s) - P(x, s)\} dx.$$

Proof. By assumption on P , the family of semimartingales L^ϑ ($\vartheta \in \mathbb{R}$) defined by (3.1) is smooth. Hence, the Itô–Wentzell formula of Proposition 2.3 yields that $L(\theta_t, t)$ is a semimartingale with dynamics

$$\begin{aligned} L(\theta_t, t) = & L(\theta_{0-}, 0) + \int_0^t L(\theta_{s-}, ds) + \int_0^t P(\theta_{s-}, s) d\theta_s + \left[\int_0^\cdot P(\theta_{s-}, ds), \theta \right]_t \\ & + \frac{1}{2} \int_0^t P'(\theta_{s-}, s) d[\theta]_s^c + \sum_{0 \leq s \leq t} \left\{ \int_{\theta_{s-}}^{\theta_s} P(x, s) ds - P(\theta_{s-}, s) \Delta \theta_s \right\}. \end{aligned}$$

An application of the Itô–Wentzell formula to $P^\theta = (P(\theta_t, t))_{0 \leq t \leq T}$ allows us to compute $[P^\theta, \theta]$, and we find

$$\begin{aligned} \beta_t^\theta = & \beta_{0-} - \int_0^t P(\theta_{t-}, t) d\theta_t - \left[\int_0^\cdot P(\theta_{s-}, ds), \theta \right]_t \\ & - \int_0^t P'(\theta_{s-}, s) d[\theta]_s^c - \sum_{0 \leq s \leq t} \Delta P(\theta_s, s) \Delta \theta_s. \end{aligned}$$

When adding the preceding two equations, several terms cancel out and we obtain the claimed formula for $V_t^\theta = \beta_t^\theta + L(\theta_t, t)$. \square

As shown by the preceding lemma, the real wealth dynamics V^θ can be decomposed into three parts. The first part, $\int_0^t L(\theta_{s-}, ds)$, accounts for profits or losses from stock price fluctuations that are due to exogenous random shocks. The second and third parts can be viewed as transaction costs due to limited liquidity. Indeed, by Assumption 2, the large investor always has to trade on the bad side since his orders always adversely affect the stock price *before* being exercised. The induced transaction costs become particularly obvious in the case of block orders whose transaction costs are reflected in the jump term $\sum_{0 \leq s \leq t} \int_{\theta_{s-}}^{\theta_s} \{P(\theta_s, s) - P(x, s)\} dx \geq 0$. Additionally, it turns out that trading in a fluctuating manner also produces transaction costs; these costs are described by the quadratic variation term $\frac{1}{2} \int_0^t P'(\theta_{s-}, s) d[\theta]_s^c \geq 0$. Finally, it is interesting to see that “tame” trading strategies whose trajectories $(\theta_t)_{0 \leq t \leq T}$ are continuous and of bounded variation do *not* produce transaction costs in this sense—an observation that is important in Back’s (1992) analysis of insider trading and that will also be crucial later when we discuss the large investor’s hedging problem.

As a consequence, the large investor can deliberately move market prices only at certain costs, and it becomes an interesting question under which conditions these costs actually suffice to rule out any market manipulation strategy that would allow the large investor to produce riskless profits—that is, to have an arbitrage opportunity due to his market power. In order to discuss this issue properly, we first have to exclude any doubling strategies from our considerations by introducing a suitable notion of admissible strategies, just like in the standard small investor framework. For our framework, the real wealth dynamics (3.2) suggest calling a self-financing semimartingale strategy θ *admissible* if the induced

profits or losses from exogenous shocks $\int_0^\cdot L(\theta_{s-}, ds)$ are bounded from below by some real constant. Indeed, for the special case where the large investor is in fact an ordinary small investor in the sense that P_t^ϑ does not depend on ϑ , this reduces to the usual notion of admissibility.

In the standard small investor setting, absence of arbitrage is (essentially) equivalent to the existence of an equivalent local martingale measure. For our purposes, the following assumption will be convenient.

ASSUMPTION 3. *There exists a measure $\mathbb{P}^* \approx \mathbb{P}$ which simultaneously is a local martingale measure for all our primal processes P^ϑ ($\vartheta \in \mathbb{R}$).*

By the fundamental theorem of asset pricing, this assumption implies that small investors cannot make any riskless profits in periods where the large investor does not trade. More precisely, the fundamental theorem shows that no arbitrage for small investors in this sense is essentially equivalent to the existence of an equivalent local martingale measure \mathbb{P}^ϑ for any primal process P^ϑ ($\vartheta \in \mathbb{R}$). Thus, Assumption 3 is slightly stronger than the assumption of no arbitrage for small investors because it implies that we can choose $\mathbb{P}^\vartheta = \mathbb{P}^*$ independently of $\vartheta \in \mathbb{R}$. In our diffusion example (Example 2.1a) this corresponds to the condition that the market price of risk $(\mu_t^\vartheta - r)/\sigma_t^\vartheta$ associated with the exogenous risk factor dB_t does not depend on the large investor's position ϑ .

Interestingly, in conjunction with our previous monotonicity assumption, Assumption 3 also suffices to rule out riskless profits for the large investor.

THEOREM 3.3. *Under Assumptions 1–3, there exists no arbitrage opportunity for the large investor in the class of admissible strategies; that is, there is no admissible strategy θ such that*

$$\mathbb{P}[V_T^\theta \geq V_{0-}^\theta] = 1 \quad \text{and} \quad \mathbb{P}[V_T^\theta > V_{0-}^\theta] > 0.$$

Proof. As $P(\vartheta, t)$ is increasing in ϑ by assumption, the transaction cost terms in our real wealth dynamics are nonnegative. Hence, for any self-financing large investor strategy θ , the real wealth process V^θ is bounded from above by $V_{0-}^\theta + \int_0^\cdot L(\theta_{s-}, ds)$. The preceding stochastic integral is a local martingale under \mathbb{P}^* , and, provided θ is admissible, it is also bounded from below and therefore is a \mathbb{P}^* -supermartingale. It follows that, for admissible θ , we have $\mathbb{E}^* V_T^\theta \leq V_{0-}^\theta$. As $\mathbb{P}^* \approx \mathbb{P}$, this proves that θ cannot be an arbitrage opportunity for the large investor. \square

4. APPROXIMATION OF STOCHASTIC INTEGRALS AND APPROXIMATE ATTAINABILITY

An interesting consequence of the real wealth dynamics (3.2) is the observation that continuous strategies of bounded variation do *not* incur transaction costs for the large investor. It is therefore important to determine which final payoffs the investor can attain by following such “tame” strategies. To answer this question, it is useful to introduce the following concepts.

DEFINITION 4.1. A contingent claim $H \in L^0(\mathcal{F}_T)$ is called *attainable modulo transaction costs for initial capital v* if $H = v + \int_0^T L(\theta_s, ds)$ almost surely for some L -integrable predictable process θ for which $\int_0^\cdot L(\theta_s, ds)$ is uniformly bounded from below.

A contingent claim $H \in L^0(\mathcal{F}_T)$ is called *approximately attainable for initial capital* v if for any $\varepsilon > 0$ there exists an admissible large investor strategy θ^ε such that V^{θ^ε} with $V_{0-}^{\theta^\varepsilon} = v$ satisfies

$$|H - V_T^{\theta^\varepsilon}| \leq \varepsilon \quad \mathbb{P} = a.s.$$

Thus, any claim that is approximately attainable for some initial capital can be super-replicated in the usual sense when starting with only a little more capital.

REMARK 4.2. The preceding definition only refers to contingent claims H whose payoff is completely determined by the exogenous risk factors and which can thus be represented by a real-valued contingent claim $H \in L^0(\mathcal{F}_T)$. Many real claims, however, explicitly depend on the evolution of the underlying asset, and their payoff can therefore be directly affected by the large investor. These more general claims will be discussed in Section 5.

With this terminology we can state the main result of this section as follows.

THEOREM 4.3. *Under Assumption 1 (presented in Sec. 2), any contingent claim $H \in L^0(\mathcal{F}_T)$ that is attainable modulo transaction costs is approximately attainable with the same initial capital.*

The proof of this theorem follows immediately from the following strong approximation result for stochastic integrals which may be of independent mathematical interest.

THEOREM 4.4. *Assume L^ϑ ($\vartheta \in \mathbb{R}$) is a smooth family of semimartingales. Let θ be an L -integrable, predictable process and fix $\vartheta_0 \in L^0(\mathcal{F}_0)$, $\vartheta_T \in L^0(\mathcal{F}_{T-})$. Then, for any $\varepsilon > 0$, there exists a predictable process θ^ε with continuous paths of bounded variation such that $\theta_0^\varepsilon = \vartheta_0$, $\theta_T^\varepsilon = \vartheta_T$, and*

$$\sup_{0 \leq t \leq T} \left| \int_0^t L(\theta_s, ds) - \int_0^t L(\theta_s^\varepsilon, ds) \right| \leq \varepsilon \quad \mathbb{P}\text{-}a.s.$$

REMARK 4.5. The preceding theorem can be viewed as a supplement to a result in Levental and Skorohod (1997). These authors constructed piecewise constant RCLL strategies that uniformly approximate a given stochastic integral in the special case where the integrator is given by a continuous semimartingale L ; that is, $L(\vartheta, ds) = \vartheta dL_s$.

We prove Theorem 4.4 by a Borel–Cantelli argument that is based on the following lemma whose proof is given in the Appendix.

LEMMA 4.6. *Let θ be as in Theorem 4.4, fix a stopping time $\tau \leq T$, and consider a random variable $\vartheta_\tau \in L^0(\mathcal{F}_\tau)$ with $\vartheta_\tau = \vartheta_T$ on $\{\tau = T\}$. For any $\varepsilon > 0$, there exists a predictable process $\theta^{\varepsilon, \tau, \vartheta_\tau}$ whose paths are continuous and of bounded variation over $[\tau, T]$ such that $\theta_\tau^{\varepsilon, \tau, \vartheta_\tau} = \vartheta_\tau$, $\theta_T^{\varepsilon, \tau, \vartheta_\tau} = \vartheta_T$, and*

$$\mathbb{P} \left[\sup_{\tau \leq t \leq T} \left| \int_\tau^t L(\theta_s, ds) - \int_\tau^t L(\theta_s^{\varepsilon, \tau, \vartheta_\tau}, ds) \right| \geq \varepsilon \right] \leq \varepsilon.$$

Let us now give the proof of Theorem 4.4.

Proof of Theorem 4.4. Let $\varepsilon_n \triangleq \varepsilon/2^n$ ($n = 0, 1, \dots$), put $\tau_0 \triangleq 0$, and define $\theta_0^\varepsilon \triangleq \vartheta_0$. We are going to extend the definition of θ^ε inductively. So assume that for some $n \in \{0, 1, \dots\}$ we already have constructed θ^ε on the random interval $[0, \tau_n]$ where τ_n is a suitably constructed stopping time. Take the strategy $\theta^{n+1} \triangleq \theta^{\varepsilon_{n+1}, \tau_n, \theta_n^\varepsilon}$ provided by Lemma 4.6 and put

$$\tau_{n+1} \triangleq \inf \left\{ t \geq \tau_n : \left| \int_{\tau_n}^t L(\theta_s, ds) - \int_{\tau_n}^t L(\theta_s^{n+1}, ds) \right| > \varepsilon_{n+1} \right\} \wedge T.$$

This allows us to continuously extend the definition of θ^ε from $[0, \tau_n]$ to $[0, \tau_{n+1}]$ by letting $\theta^\varepsilon \triangleq \theta^{n+1}$ on $(\tau_n, \tau_{n+1}]$, and we can proceed with the next step of our inductive definition.

Since by definition of τ_{n+1} and θ^{n+1} we have

$$\mathbb{P}[\tau_{n+1} < T] = \mathbb{P} \left[\sup_{\tau_n \leq t \leq T} \left| \int_{\tau_n}^t L(\theta_s, ds) - \int_{\tau_n}^t L(\theta_s^{n+1}, ds) \right| > \varepsilon_{n+1} \right] \leq \varepsilon_{n+1} = \varepsilon/2^{n+1},$$

the Borel–Cantelli Lemma implies that for \mathbb{P} -a.e. ω we have to carry out only a finite number of the above induction steps in order to define $\theta^\varepsilon(\omega, \cdot)$ on the whole interval $[0, T]$. This entails, in particular, that the above procedure yields an adapted process θ^ε with continuous paths of bounded variation and $\theta_T^\varepsilon = \vartheta_T$. Moreover, we know by construction that

$$\sup_{0 \leq t \leq T} \left| \int_0^t L(\theta_s, ds) - \int_0^t L(\theta_s^\varepsilon, ds) \right| \leq \sum_{n=0}^{+\infty} \sup_{\tau_n \leq t \leq \tau_{n+1}} \left| \int_{\tau_n}^t L(\theta_s, ds) - \int_{\tau_n}^t L(\theta_s^{n+1}, ds) \right|,$$

and by definition of τ_{n+1} the above sum is less than or equal to $\sum_{n=0}^{+\infty} \varepsilon_{n+1} = \varepsilon$. This completes the proof of our assertion. \square

REMARK 4.7. Note that for the preceding theorem to hold true our continuity assumption for the paths of any primal process P^ϑ , $\vartheta \in \mathbb{R}$, is essential.

As a first application of the preceding approximation results, let us characterize more explicitly which final payoffs are attainable for the large investor. This task will be carried out under the following assumption.

ASSUMPTION 4. *One of the primal models, P^0 say, dominates all the others in the sense that each model P^ϑ , $\vartheta \in \mathbb{R}$, admits a representation*

$$P_t^\vartheta = P_0^\vartheta + \int_0^t p_s^\vartheta dP_s^0 \quad (0 \leq t \leq T)$$

for some predictable P^0 -integrable process p^ϑ .

This assumption is clearly satisfied if the primal model P^0 is complete and Assumption 3 is satisfied. It means essentially that all primal models refer to the same exogenous shock. An important consequence of this assumption is that the set \mathcal{P}^* of \mathbb{P} -equivalent probability measures under which all our primal models P^ϑ ($\vartheta \in \mathbb{R}$) become local martingales coincides with the set \mathcal{P}^0 of local martingale measures for the model P^0 .

PROPOSITION 4.8. *Under Assumption 1, each density*

$$p_s^\vartheta(\omega) = \frac{d[P^\vartheta, P^0]}{d[P^0]}(\omega, s)$$

occurring in Assumption 4 can be chosen continuous in ϑ for any fixed $(\omega, s) \in \Omega \times [0, T]$. The induced predictable process $p = (p_s)_{0 \leq s \leq T}$ with values in $C(\mathbb{R})$ allows us to write the dynamics of $L(\vartheta, \cdot) = \int_0^\vartheta P(x, \cdot) dx$, $\vartheta \in \mathbb{R}$, in the form

$$L(\vartheta, t) = \int_0^\vartheta P(x, 0) dx + \int_0^t \left\{ \int_0^\vartheta p_s^x dx \right\} dP_s^0 \quad (0 \leq t \leq T).$$

In particular, a predictable process $\theta = (\theta_t)_{0 \leq t \leq T}$ is L -integrable provided

$$\int_0^T \left\{ \int_0^{\theta_s} p_s^x dx \right\}^2 d[P^0]_s < +\infty \quad \mathbb{P}\text{-a.s.}$$

and in this case we have

$$(4.1) \quad \int_0^T L(\theta_s, ds) = \int_0^T \left\{ \int_0^{\theta_s} p_s^x dx \right\} dP_s^0.$$

Proof. That $p_t^\vartheta(\omega)$ can be chosen continuous in ϑ follows from Kunita (1990, Chap. 3.1). The claimed dynamics of $L(\vartheta, t)$ will follow by Fubini's theorem for stochastic integrals (cf. Protter 1990, Thm. IV.46) once we know that $((\int_0^\vartheta (p_s^x)^2 dx)^{1/2})_{0 \leq s \leq T}$ is P^0 -integrable. To prove this, note that by the standard Fubini-theorem

$$\int_0^T \left\{ \int_0^\vartheta (p_s^x)^2 dx \right\} d[P^0]_s = \int_0^\vartheta \left\{ \int_0^T (p_s^x)^2 d[P^0]_s \right\} dx$$

By definition of p , the last $\{\cdot\}$ term is almost surely equal to $[P^x]_T$. By Assumption 1 this quantity continuously depends on x and is therefore locally integrable with respect to dx . Hence, the last quantity in the above equation is finite almost surely.

Having established the dynamics of $L(\vartheta, \cdot)$ it is now easy to see that $[L(\vartheta, \cdot), L(\vartheta', \cdot)]$ is absolutely continuous with respect to $A^L \triangleq [P^0]$ with density given by $a^L(\vartheta, \vartheta', s) = \int_0^\vartheta p_s^x dx \int_0^{\vartheta'} p_s^y dy$. This yields the claimed L -integrability criterion. \square

Identity (4.1) shows that with any large investor strategy θ we can associate a small investor strategy $\xi_s = \int_0^{\theta_s} p_s^x dx$ which in the model P^0 induces the same wealth dynamics as θ in our large investor model if we neglect transaction costs. We will see that the converse holds true under the following assumption.

ASSUMPTION 5. *For $\mathbb{P} \otimes dP^0$ -a.e. $(\omega, s) \in \Omega \times [0, T]$, the mapping $\vartheta \mapsto \int_0^\vartheta p_s^x(\omega) dx$ is surjective from \mathbb{R} onto \mathbb{R} .*

The preceding assumption is satisfied if p^x is strictly positive and does not tend to 0 'too fast' as $|x| \rightarrow \infty$, i.e., if price fluctuations are not damped 'too severely' when the large trader takes extreme positions.

THEOREM 4.9. *Under Assumptions 1–5, any claim $H \in L^0(\mathcal{F}_T)$ that is attainable in the small investor model P^0 is approximately attainable for the same initial capital in our large investor model (2.1).*

Proof. Let ξ be an admissible small investor strategy in the model P^0 which starting with initial capital v attains some terminal payoff $H = v + \int_0^T \xi_s dP_s^0$. Due to Assumption 5, we can use a measurable selection result (e.g., Thm. 82 in the appendix to Chap. III of Dellacherie and Meyer 1975) to find a predictable process $\theta = (\theta_s)_{0 \leq s \leq T}$ such that

$$\int_0^{\theta_s} p_s^x dx = \xi_s \quad \mathbb{P} \otimes d[P^0]_s \quad \text{a.e.}$$

By Proposition 4.8, P^0 -integrability of ξ carries over to L -integrability of θ and

$$\int_0^T L(\theta_s, ds) = \int_0^T \xi_s dP_s^0 = H - v.$$

Hence, for the large investor, H is attainable modulo transaction costs with initial capital v and thus approximately attainable for the same initial capital by Theorem 3.3. \square

Let us close this section with an easy consequence for the large investor's utility maximization problem.

COROLLARY 4.10. *In the situation of Theorem 4.3, the large investor's optimal utility coincides with the maximal utility of a small investor who may invest the same initial capital in a financial market modeled by P^0 . More precisely, we have*

$$(4.2) \quad \sup_{\theta \text{ admissible}, V_{0-}^\theta = w} \mathbb{E}[U(V_T^\theta)] = \sup_{\xi \text{ admissible}} \mathbb{E}\left[U\left(w + \int_0^T \xi_s dP_s^0\right)\right]$$

for any concave and increasing utility function U , provided the right side is finite for any initial capital $w > 0$.

Proof. Denote by $l = l(w)$ and $r = r(w)$ the $\bar{\mathbb{R}}$ -valued functions of initial capital $w > 0$ defined, respectively, by the left and right sides of (4.2). As pointed out earlier, identity (4.1) ensures that with any large investor strategy θ we can associate a strategy ξ for the small investor whose value process coincides with $w + \int_0^\cdot L(\theta_s, ds)$. In particular, ξ is admissible if θ is, and we have $w + \int_0^T \xi_s dP_s^0 \geq V_T^\theta$. This proves $l(w) \leq r(w)$. Conversely, by Theorem 4.3, any terminal portfolio value for the small investor trading in model P^0 is approximately attainable for the large investor. Thus, we have $l(w) \geq r(w')$ for any $w > w' > 0$. As both l and r are increasing functions, the preceding arguments already show $l(w) = r(w)$ for any w where r does not jump. Since r is also concave this is the case on the interior of its domain—that is, on $(0, +\infty)$. \square

5. SUPERREPLICATION OF MANIPULABLE CLAIMS

This section discusses the pricing and hedging problem for general contingent claims whose payoff may depend on the large investor's strategy, for example via the price of the illiquid asset at maturity.

Let us start by introducing a convenient notion of contingent claims in our present large investor setting.

DEFINITION 5.1. A *contingent claim* with maturity T is specified by an $\mathcal{F}_T \otimes \mathcal{B}(\mathbb{R})$ -measurable mapping H that is bounded from below. It entitles the holder to a contingent

payment of $H(\omega, \theta_T(\omega))$ at time T , where θ_T denotes the large investor's position at maturity.

A prominent example for such a contingent claim is, of course, the European call option $(P_T^\theta - K)^+$ with strike $K > 0$ where H can be chosen as $H(\omega, \vartheta) = (P_T^\theta(\omega) - K)^+$. Important examples *not* covered by the above notion are barrier options and lookback options since in both cases the complete evolution of the large investor's strategies can influence the payoff, not only his position at time T . It might seem more natural to define a contingent claim in an illiquid financial market as a two-dimensional random variable, the two dimensions reflecting the cash and the physically settled components of a real world financial contract respectively. It is easy to see, though, that the economics of such a generalized contingent claim are equal to those of the contingent claim that is defined as the realizable portfolio value of the generalized contingent claim; see Baum (2001) for details. Finally, note that the contingent claims discussed in Section 4 are incorporated in the present setting since we can identify any random variable $H \in L^0(\mathcal{F}_T)$ with a contingent claim that does not depend on the risky asset position of the large investor.

DEFINITION 5.2. The superreplication price of a contingent claim H is the infimum of all initial capitals v for which there exists an admissible strategy θ such that at time T we have $V_T^\theta \geq H(\theta_T)$ almost surely:

$$\Pi(H) \triangleq \inf \{ v : \exists \theta \text{ admissible with } V_T^\theta \geq H(\theta_T) \quad \mathbb{P}\text{-a.s., } V_{0-}^\theta = v \}.$$

Similarly, one could give a definition of superreplication prices in terms of book value instead of real value. It is not clear, however, that the liquidation proceeds from a superreplicating portfolio with respect to the book value would cover the payment obligations resulting from the claim. It therefore seems to be more appropriate to focus on superreplication with respect to realizable wealth.

The following theorem shows essentially that when the large investor seeks to determine the superreplication price for a manipulable derivative, he can first determine the terminal position ϑ_T^* in the illiquid asset which (almost) minimizes the payoff and compute then the small investor superreplication price of the induced claim $H(\vartheta_T^*)$.

THEOREM 5.3. *Under Assumptions 1–5, the superreplication price of a contingent claim H satisfies*

$$(4.3) \quad \inf_{\vartheta_T \in L^0(\mathcal{F}_T)} \sup_{\mathbb{P}^* \in \mathcal{P}^*} \mathbb{E}^*[H(\vartheta_T)] \leq \Pi(H) \leq \inf_{\vartheta_T \in L^0(\mathcal{F}_{T-})} \sup_{\mathbb{P}^* \in \mathcal{P}^*} \mathbb{E}^*[H(\vartheta_T)],$$

where $\mathcal{P}^* \neq \emptyset$ is the set of \mathbb{P} -equivalent probability measures under which any primal model P^ϑ ($\vartheta \in \mathbb{R}$) becomes a local martingale.

If H is $\mathcal{F}_{T-} \otimes \mathbb{R}$ -measurable with $\inf_{\vartheta \in \mathbb{R}} H(\vartheta) \in L^0(\mathcal{F}_{T-})$, the superreplication price is given by

$$\Pi(H) = \sup_{\mathbb{P}^* \in \mathcal{P}^*} \mathbb{E}^* \left[\inf_{\vartheta \in \mathbb{R}} H(\vartheta) \right].$$

Proof. To prove the first \leq -assertion, consider an initial capital v and an admissible large investor strategy θ such that $V_{0-}^\theta = v$ and $V_T^\theta \geq H(\theta_T)$ almost surely. The dynamics of V^θ and our monotonicity Assumption 2 entail that $V_T^\theta \leq v + \int_0^T L(\theta_s, ds)$. By definition, $\int_0^T L(\theta_s, ds)$ is a local martingale under each measure $\mathbb{P}^* \in \mathcal{P}^*$ and by

admissibility of θ it is bounded from below by some constant. Hence, it is a \mathcal{P}^* -supermartingale and we can conclude that

$$v \geq v + \sup_{\mathbb{P}^* \in \mathcal{P}^*} \mathbb{E}^* \int_0^T L(\theta_s, ds) \geq \sup_{\mathbb{P}^* \in \mathcal{P}^*} \mathbb{E}^* V(\theta_T) \geq \sup_{\mathbb{P}^* \in \mathcal{P}^*} \mathbb{E}^* H(\theta_T).$$

For the second \leq -relation, take any $\vartheta_T \in L^0(\mathcal{F}_{T-})$ and note that, since $\mathcal{P}^* = \mathcal{P}^0$ by Assumption 4, $v \stackrel{\Delta}{=} \sup_{\mathbb{P}^* \in \mathcal{P}^*} \mathbb{E}^* H(\vartheta_T)$ is the superreplication price of the claim $H(\vartheta_T)$ for a small investor trading in a market where the asset price follows the dynamics given by P^0 (see, e.g., Kramkov 1996). Hence, there exists an admissible small investor strategy ξ such that $H(\vartheta_T) \leq v + \int_0^T \xi_s dP_s^0$ almost surely. From Theorem 4.3 we infer that $v + \int_0^T \xi_s dP_s^0$ is approximately attainable for the large investor. Indeed, it follows from Theorem 4.4 that we can choose the large investor strategies θ^ε , $\varepsilon > 0$, whose real wealth process uniformly approximate $v + \int_0^T \xi_s dP_s^0$ so that at time T they take the value $\theta_T^\varepsilon = \vartheta_T$. This ensures that the amount $H(\theta_T)$ to be paid by the large investor at maturity coincides with the payoff of the “exogenously determined” claim $H(\vartheta_T)$ which is superreplicated by the above strategies. Hence, the large investor can superhedge against H using initial capital $v + \varepsilon$. As $\varepsilon > 0$ was arbitrary, this proves $\Pi(H) \leq v$ as claimed.

Now assume that $I \stackrel{\Delta}{=} \inf_{\vartheta \in \mathbb{R}} H(\vartheta)$ is \mathcal{F}_{T-} -measurable and let us deduce the claimed equation for $\Pi(H)$. Let L and R denote the left and the right terms in (4.3), respectively. We already know that $R \geq \Pi(H) \geq L \geq \sup_{\mathbb{P}^* \in \mathcal{P}^*} \mathbb{E}^*[I]$. As I is \mathcal{F}_{T-} -measurable, we may use a measurable selection theorem (e.g., Thm. 82 in the appendix to Chap. III of Dellacherie and Meyer 1975) to find for any $\varepsilon > 0$ a random variable $\vartheta_T^\varepsilon \in L^0(\mathcal{F}_{T-})$ such that $\inf_{\vartheta \in \mathbb{R}} H(\vartheta) \geq H(\vartheta_T^\varepsilon) - \varepsilon$ almost surely. Hence, we have

$$L \geq \Pi(H) \geq R \geq \sup_{\mathbb{P}^* \in \mathcal{P}^*} \mathbb{E}^*[I] \geq \sup_{\mathbb{P}^* \in \mathcal{P}^*} \mathbb{E}^*[H(\vartheta_T^\varepsilon)] - \varepsilon \geq L - \varepsilon.$$

As $\varepsilon > 0$ is arbitrary, this proves $L = \Pi(H) = R = \sup_{\mathbb{P}^* \in \mathcal{P}^*} \mathbb{E}^*[I]$ as claimed. \square

REMARK 5.4. Note that the preceding argument reveals in particular that superreplication prices do *not* depend on the large investor’s initial position θ_{0-} .

A first consequence of the preceding theorem is that in the large investor framework exact replication of a contingent claim can be more expensive than superreplication, a phenomenon that also occurs in the literature on transaction costs (see Bensaid et al. 1992; Soner, Shreve, and Cvitanic 1995; and Levental and Skorohod 1997). To see this, apply the reasoning of the above proof to a claim H of the form $H = V_T^\theta$ where θ is an admissible large investor strategy with nonvanishing transaction costs $\frac{1}{2} \int_0^t P'(\theta_{s-}, s) d[\theta]_s^c + \sum_{0 \leq s \leq t} \int_{\theta_{s-}}^{\theta_s} \{P(\theta_s, s) - P(x, s)\} dx \neq 0$.

At first sight, the above result seems to be at odds with the PDE characterizations of hedging prices for large investors obtained by Frey (1998) or Schönbucher and Wilmott (2000). Note, however, that in these accounts the trading strategies at the large investor’s disposal are severely restricted: the agent is confined to use strategies that are obtained as a smooth deterministic function of the stock price. By contrast, in our setting the large investor can use the complete information available in the market to dynamically choose his positions. Moreover, Frey (1998) and Schönbucher and Wilmott (2000) provided hedging strategies with respect to the book value rather than the real value. As pointed out in Baum (2001), the relation

$$W_T^\theta = V_T^\theta - L(\theta_T, T) + P(\theta_T, T)\theta_T$$

between the large investor's paper value and his real value allows one to use the above techniques in order to provide analogues of our preceding results which also focus on paper value instead of real value.

6. CONCLUSION

The present paper gives a detailed analysis of general financial market models in continuous time with limited liquidity due to finite depth in the sense of Kyle (1985). It is shown that in these markets many features of the primal small investor markets carry over to the considered large investor market. In particular, absence of arbitrage for a large investor is proved to be essentially a consequence of absence of arbitrage for small investors. Moreover, attainable claims for the small investor are approximately attainable for the large investor, and similarly the computation of superreplication prices and optimal utilities carry over.

All of these results heavily rely on the assumption that trading strategies affect asset prices only via their instantaneous value. It would be desirable, though, to be able to deal also with dynamic aspects of illiquidity. Indeed, from a market microstructure perspective, every trade in the past will have a lasting effect on the trade possibilities and prices in the future, with the impact being bigger the more recently the trade has taken place. Moreover, in the real world illiquidity can show up as bid-offer spreads or as times when only a limited amount of an asset can be traded. Finally, it would be interesting to include also the game theoretic aspects resulting from the presence of several strategically interacting large investors.

It is certainly a challenge to come up with a mathematically tractable model that covers all the features of real illiquid financial markets. Recent turmoil periods like the financial crisis in 1987, the Asian and LTCM crisis in 1998, and the boom and bust period of the internet bubble were all exacerbated if not caused by illiquidity of involved assets. Therefore, the importance of taking up this challenge can hardly be overestimated.

APPENDIX

The following lemma was needed for the proof of Theorem 4.4.

LEMMA A.1. *Let θ and ϑ_T be as in Theorem 4.4, fix a stopping time $\tau \leq T$, and consider a random variable $\vartheta_\tau \in L^0(\mathcal{F}_\tau)$ with $\vartheta_\tau = \vartheta_T$ on $\{\tau = T\}$. For any $\varepsilon > 0$, there exists a predictable process $\theta^{\varepsilon, \tau, \vartheta_\tau}$ whose paths are continuous and of bounded variation over $[\tau, T]$ such that $\theta_\tau^{\varepsilon, \tau, \vartheta_\tau} = \vartheta_\tau$, $\theta_T^{\varepsilon, \tau, \vartheta_\tau} = \vartheta_T$ and*

$$\mathbb{P} \left[\sup_{\tau \leq t \leq T} \left| \int_\tau^t L(\theta_s, ds) - \int_\tau^t L(\theta_s^{\varepsilon, \tau, \vartheta_\tau}, ds) \right| \geq \varepsilon \right] \leq \varepsilon.$$

Proof. By construction of the stochastic integral $\int_\tau^\cdot L(\theta_s, ds)$, there exists a sequence of simple processes

$$\theta_t^n = \sum_{i=0}^{k_n} \theta_i^n 1_{(t_i^n, t_{i+1}^n]}(t) \quad (t \geq 0)$$

with $0 = t_0^n < \dots < t_{k_n+1}^n = T$ and $\theta_i^n \in L^0(\mathcal{F}_{t_i^n})$ such that $\int_\tau^\cdot L(\theta_s^n, ds)$ converges uniformly in probability to $\int_\tau^\cdot L(\theta_s, ds)$. In particular, there exists a simple integrand $\tilde{\theta}$ such that

$$\mathbb{P} \left[\sup_{\tau \leq t \leq T} \left| \int_\tau^t L(\theta_s, ds) - \int_\tau^t L(\tilde{\theta}_s, ds) \right| \geq \varepsilon/2 \right] \leq \varepsilon/2.$$

Now, granted our assertion holds true for simple processes such as $\tilde{\theta}$, we can find a predictable, continuous process θ^ε with paths of bounded variation such that $\theta_\tau^\varepsilon = \vartheta_\tau$, $\theta_T^\varepsilon = \vartheta_T$, and

$$\mathbb{P} \left[\sup_{\tau \leq t \leq T} \left| \int_\tau^t L(\tilde{\theta}_s, ds) - \int_\tau^t L(\theta_s^\varepsilon, ds) \right| \geq \varepsilon/2 \right] \leq \varepsilon/2.$$

Combining the preceding two probability estimates shows that it suffices to prove the lemma for simple processes θ of the form

$$\theta_t = \sum_{i=0}^n \theta_i 1_{(t_i, t_{i+1}]}(t) \quad (t \geq 0)$$

with $0 = t_0 < \dots < t_{n+1} = T$ and $\theta_i \in L^0(\mathcal{F}_{t_i})$. To this end, let us introduce for $\Delta \in (0, \min_i \{t_{i+1} - t_i\}/2)$ a piecewise linear interpolation process θ^Δ as follows. On $[0, \tau)$ let $\theta^\Delta \triangleq 0$, and on $[\tau^\Delta, T]$ with $\tau^\Delta \triangleq \inf\{T - 1/k > \tau \vee (T - \Delta) : k = 1, 2, \dots\}$ put $\theta^\Delta \triangleq \bar{\vartheta}$ where $\bar{\vartheta}$ denotes a piecewise linear, continuous, and adapted process of bounded variation with $\bar{\vartheta}_T = \vartheta_T$ which changes its slope only in $t \in \{T - 1/k : k = 1, 2, \dots\}$; see Lemma A.2 below for a construction of such a process. In between τ and τ^Δ define θ^Δ as the continuous linear interpolation of the points in the random set of interpolation points

$$\{(\tau, \vartheta_\tau), (\tau^\Delta, \bar{\vartheta}_{\tau^\Delta})\} \cup \begin{cases} \{(t_i, \theta_{i-1}), (t_i + \Delta, \theta_i) : i \leq n, \tau < t_i\} & \text{if } \tau < t_n, \\ \{((\tau + \Delta) \wedge (T - \Delta), \theta_n)\} & \text{if } t_n \leq \tau < T - \Delta, \\ \emptyset & \text{if } T - \Delta \leq \tau. \end{cases}$$

By construction θ^Δ is an adapted process with continuous paths of bounded variation on $[\tau, T]$ which satisfies $\theta_\tau^\Delta = \vartheta_\tau$ and $\theta_T^\Delta = \vartheta_T$. As $\Delta \downarrow 0$, we furthermore have $\theta_t^\Delta(\omega) \rightarrow \theta_t(\omega)$ for any $\omega \in \Omega$ and any point in time $t \in (\tau, T) \setminus \{t_0, \dots, t_{n+1}\}$. Moreover, $|\theta_t^\Delta(\omega)|$ is bounded pathwise by $\max_i |\theta_i(\omega)| \vee \sup |\bar{\vartheta}(\omega)| < +\infty$. Hence, we may use dominated convergence to conclude that the quadratic variation

$$\left[\int_\tau^\cdot L(\theta_s, ds) - \int_\tau^\cdot L(\theta_s^\Delta, ds) \right]_T = \int_\tau^T \{a(\theta_s, \theta_s, s) - 2a(\theta_s, \theta_s^\Delta, s) + a(\theta_s^\Delta, \theta_s^\Delta, s)\} dA_s$$

tends to 0 in probability as $\Delta \downarrow 0$. Here, $a(\vartheta, \vartheta', \omega, s)$ denotes a density of $[L^\vartheta, L^{\vartheta'}](\omega)$ with respect to the process $A(\omega)$ of Assumption 1. By Kunita (1990, Chap. 3.1), this density can be chosen continuous in $(\vartheta, \vartheta') \in \mathbb{R} \times \mathbb{R}$ for any $(\omega, s) \in \Omega \times [0, T]$ and such that for any compact set $K \subset \mathbb{R} \times \mathbb{R}$, $\|a(\cdot, \cdot, \omega, s)\|_{\infty; K}$ is $dA_s(\omega)$ -integrable for all $\omega \in \Omega$, where $\|\cdot\|_{\infty; K}$ denotes the sup-norm over K . It now follows from the Burkholder-Davis-Gundy inequality that the martingale part of $\int_\tau^\cdot L(\theta_s^\Delta, ds)$ converges to the martingale part of $\int_\tau^\cdot L(\theta_s, ds)$ uniformly in probability as $\Delta \rightarrow 0$. A similar argument also proves

uniform convergence in probability of the bounded variation parts. This completes our proof. \square

The following lemma is needed for the construction of the process θ^Δ occurring in the preceding proof.

LEMMA A.2. *Any random variable $\vartheta_T \in L^0(\mathcal{F}_{T-})$ is the terminal value $\bar{\vartheta}_T = \vartheta_T$ of some continuous adapted process $\bar{\vartheta}$ with piecewise linear paths of bounded variation which change slope only in $t \in \{T - 1/k : k = 1, 2, \dots\}$.*

Proof. Let $t_k \triangleq (T - 1/k)^+$ ($k = 1, 2, \dots$), put $f(x) \triangleq x/(1 + |x|)$ ($x \in \mathbb{R}$), and let $g \triangleq f^{-1}$ denote its inverse. By the martingale convergence theorem, the bounded martingale $M_k \triangleq \mathbb{E}[f(\vartheta_T) | \mathcal{F}_{t_k}]$ converges to $\mathbb{E}[f(\vartheta_T) | \mathcal{F}_{T-}] = f(\vartheta_T)$ almost surely and in $L^1(\mathbb{P})$. Hence, by passing to a suitable subsequence $t'_k > 0$, we may assume that we even have fast L^1 -convergence in the sense that $\sum_k \mathbb{E}|M_{t'_{k+1}} - M_{t'_k}| < +\infty$.

Now, put $\bar{\vartheta}_0 \triangleq 0$, $\bar{\vartheta}_{t'_{k+1}} \triangleq g(M_{t'_k})$ ($k = 0, 1, \dots$), where $t'_0 \triangleq 0$, and extend the definition of $\bar{\vartheta}$ to the whole interval $[0, T]$ by letting $\bar{\vartheta}_T \triangleq \vartheta_T$ and linear interpolating on each interval (t'_k, t'_{k+1}) between the given boundary values $\bar{\vartheta}_{t'_k} = g(M_{t'_k})$, $\bar{\vartheta}_{t'_{k+1}} = g(M_{t'_{k+1}})$. This gives us an adapted process $\bar{\vartheta}$ with piecewise linear and continuous paths that change slope only in $\{t_k : k = 1, 2, \dots\}$. The variation of $\bar{\vartheta}$ is given by

$$\sum_{k=0}^{+\infty} |\bar{\vartheta}_{t'_{k+1}} - \bar{\vartheta}_{t'_k}| \leq |g(M_0)| + \sup_{|\vartheta| \leq \sup_k |M_{t'_k}|} |g'(\vartheta)| \sum_{k=1}^{+\infty} |M_{t'_k} - M_{t'_{k-1}}|.$$

As ϑ_T takes only finite values, $\sup_k |M_{t'_k}|$ is strictly less than one almost surely, and therefore the above supremum over $|g'(\vartheta)|$ yields a finite value almost surely. By fast L^1 -convergence of $M_{t'_k}$ also the last sum is finite almost surely, and it thus follows that $\bar{\vartheta}$ has paths of bounded variation. \square

REFERENCES

- BACK, K. (1992): Insider Trading in Continuous Time, *Rev. Financial Stud.* 5, 387–409.
- BAUM, D. (2001): Realisierbarer Portfoliowert in illiquiden Finanzmärkten, Ph.D. thesis, Humboldt University of Berlin.
- BENSAID, B., J. LENSE, H. PAGES, and J. SCHEINKMAN (1992): Derivative Asset Pricing with Transaction Costs, *Math. Finance* 2, 63–86.
- BIERBAUM, J. (1997): Über die Rückwirkung von Handelsstrategien ausgewählter Investoren auf Wertpapierpreisprozesse, Diploma thesis, Humboldt University Berlin.
- ÇETIN, U., R. A. JARROW, and P. PROTTER (2002): Liquidity Risk and Arbitrage Pricing Theory, Working paper, Cornell University.
- ÇETIN, U., R. A. JARROW, P. PROTTER, and M. WARACHKA (2002): Option Pricing with Liquidity Risk, Working paper, Cornell University.
- CUOCO, D., and J. CVITANIC (1998): Optimal Consumption Choices for a ‘Large’ Investor, *J. Econ. Dynam. Control* 22, 401–436.
- CVITANIC, J., and J. MA (1996): Hedging Options for a Large Investor and Forward–Backward SDE’s, *Ann. Appl. Prob.* 6, 370–398.
- DELBAEN, F., and W. SCHACHERMAYER (1998): The Fundamental Theorem of Asset Pricing for Unbounded Stochastic Processes, *Math. Annalen* 312, 215–250.

- DELLACHERIE, C., and P. MEYER (1975): *Probabilités et Potentiel*, Chapitres I–IV. Paris: Hermann.
- FREY, R. (1998): Perfect Option Hedging for a Large Trader, *Finance Stoch.* 2, 115–141.
- FREY, R., and A. STREMME (1997): Market Volatility and Feedback Effects from Dynamic Hedging, *Math. Finance* 7, 351–374.
- JARROW, R. (1992): Market Manipulation, Bubbles, Corners and Short Squeezes, *J. Financial Quant. Analysis* 27, 311–336.
- JARROW, R. (1994): Derivative Securities Markets, Market Manipulation and Option Pricing Theory, *J. Financial Quant. Analysis* 29, 241–261.
- KRAMKOV, D. (1996): Optional Decomposition of Supermartingales and Hedging Contingent Claims in Incomplete Security Markets, *Prob. Theory & Rel. Fields* 105, 459–479.
- KUNITA, H. (1990): *Stochastic Flows and Stochastic Differential Equations*. Cambridge, UK: Cambridge University Press.
- KYLE, A. (1985): Continuous Auctions and Insider Trading, *Econometrica* 53, 1315–1335.
- LEVENTAL, S., and A. V. SKOROHOD (1997): On the Possibility of Hedging Options in the Presence of Transaction Costs, *Ann. Appl. Prob.* 7(2), 410–443.
- PAPANICOLAOU, G., and R. SIRCAR (1998): General Black-Scholes Models Accounting for Increased Market Volatility from Hedging Strategies, *Appl. Math. Finance* 5, 45–82.
- PLATEN, E., and M. SCHWEIZER (1998): On Feedback Effects from Hedging Derivatives, *Math. Finance* 8, 67–84.
- PROTTER, P. (1990): *Stochastic Integration and Differential Equations*. Berlin: Springer.
- SCHÖNBUCHER, P. J., and P. WILMOTT (2000): The Feedback Effect of Hedging in Illiquid Markets, *SIAM J. Appl. Math.* 61(1), 232–272(electronic).
- SONER, H. M., S. E. SHREVE, and J. CVITANIĆ (1995): There Is No Nontrivial Hedging Portfolio for Option Pricing with Transaction Costs, *Ann. Appl. Prob.* 5(2), 327–355.