

INDEX



A

Abowd, J., 958n46
 Abramovitz, M., 495n3, 616, 645
 Abrevaya, J., 658, 786
 abrupt change in economic environment.
 See structural change
 accelerated failure time model, 971
 acceptance region, 116
 Achen, C., 453n46
 ADF-GLS procedure, 1037
 Adilov, N., 293
 adjusted R^2 , 44–47, 143
 adjustment equation, 456
 Adkins, L., 95n12
 Afifi, T., 99
 aggregated market share data, 863–865
 Ahn, S., 418n29, 438n36, 524n18, 527n21, 530n25, 531
 Ahn and Schmidt estimator, 530
 AIC, 144, 561
 Aigner, D., 286, 329
 Aigner, D. K., 130n4, 918n1, 924–926
 Ainsle, A., 854
 Aitken, A. C., 307
 Aitken estimator, 307
 Aitken's theorem, 307
 Akaike information criterion (AIC), 144, 561
 Akin, J., 796n64
 Albert, J., 711
 Aldrich, J., 733n9
 Alemu, H., 851n17
 Ali, M., 339n13
 Allenby, G., 694n2, 827
 Allison, P., 99n15, 100, 898, 901n62
 alternative choice models, 835–844
 alternative hypothesis, 114–115
 Amemiya, T., 47, 202n1, 207, 226n15, 303n6, 306,
 313n13, 409n18, 483, 484, 486, 497, 504n10,
 527n21, 545, 548n6, 552, 570n19, 728, 733, 733n9,
 737, 743n19, 744, 757n29, 759n32, 930n22, 936,
 939, 947n30, 991
 Amemiya and MaCurdy estimator, 527
 Amemiya's prediction criterion, 47
 analog estimation, 502
 analysis of covariance, 162–163, 392–393
 analysis of variance, 41–44
 Andersen, D., 787

Anderson, A., 344n20
 Anderson, K., 244
 Anderson, T., 303, 359n26, 435–437, 524n18
 Anderson and Hsiao estimator, 433–436, 525
 Andrews, D., 193n22, 226n15, 687n27
 Aneuryn-Evans, G., 140n12
 Angrist, J., 4, 292n33, 387, 465n1, 741, 769n45
 Anselin, L., 422n30, 424n32
 antithetic draw, 664
 Antweiler, W., 610
 applied econometrics, 3
 Arabmazar, A., 945
 ARCH model, 1010
 ARCH-in-Mean (ARCH-M) model, 1012–1014
 ARCH(1) model, 1011–1012
 ARCH(q) model, 1012–1014
 AR(1) disturbance, 989–990, 1004–1005
 Arellano, M., 374n2, 415n28, 436, 437, 439, 439n38,
 443n40, 525, 527n21, 948
 Arellano-Bond estimator, 436–445, 496
 ARFIMA, 1023n2
 ARIMA model, 1023
 AR(1) process, 987
 Arrow, K., 342
 art appreciation, 48–49, 121–122
 Ashenfelter, O., 4, 16, 244, 287
 asymptotic covariance matrix, 250, 280, 304, 318
 asymptotic distribution, 67, 78–80, 250
 asymptotic efficiency, 67–68, 482, 542, 548
 asymptotic negligibility of innovations, 995
 asymptotic normality, 66–67, 482, 542, 547, 991
 asymptotic normality of M estimators, 486
 asymptotic properties, 54, 63–73
 asymptotic unbiasedness, 481
 asymptotic uncorrelatedness, 995
 asymptotic variance, 548–551
 attenuation, 283, 923
 attenuation bias, 244
 attribute nonattendance, 851–852
 attributes, 828
 attrition, 99, 378–382, 964–965
 attrition bias, 245, 801
 augmented Dickey-Fuller test, 1035, 1037–1038,
 1049, 1052
 autism, 292–294
 autocorrelated least squares residuals, 981

- autocorrelation, 24
 - estimation, 1005–1007
 - misspecification of model, 982–983
 - panel data, 422
 - Phillips curve, 983–984
 - testing for, 1000–1003
 - unobserved heterogeneity, 383
- autocorrelation coefficient, 987
- autocorrelation consistent covariance estimation, 999
- autocorrelation function (rate of inflation), 988–989
- autocorrelation matrix, 987
- autocovariance, 987
- autocovariance matrix, 987
- autonomous variation, 14
- autoregressive conditional heteroscedasticity, 1010–1019
- autoregressive conditionally heteroscedastic (ARCH)
 - model, 1010–1014
- autoregressive form, 989
- autoregressive integrated moving average (ARIMA)
 - model, 1023
- autoregressive processes, 987
- average partial effects, 735
- Avery, R., 773, 785

- B**
- badly measured data, 102–104
- Baker, R., 280n20
- balanced panels, 377–378
- Balestra, P., 455, 524n18
- Baltagi, B., 318, 333n8, 374n2, 378, 399, 410n19, 411n21, 414n24, 414n25, 415, 422, 423n31, 424, 438n37, 440n39, 445, 446, 602n34, 606, 609n36, 609n37, 610, 611n38, 612, 655, 788n58, 1052
- bandwidth, 228, 480
- Bannerjee, A., 446
- Bardsen, G., 8n5
- Bartels, R., 329, 333n8
- Bassett, G., 68, 226n15, 227, 315, 486n13
- Battese, G., 409n18
- Battese-Coelli form, 928
- Bayes factor, 705
- Baye's theorem, 626, 695–697
- Bayesian averaging of classical estimates, 147
- Bayesian estimation and inference, 694–724
 - Bayes factor, 705
 - Bayes' theorem, 695–697
 - classical regression model, 697–703
 - conjugate prior, 700
 - data augmentation, 711
 - firm conclusion, 117
 - Gibbs sampler, 708, 711–712
 - how often used, 466
 - hypothesis testing, 705–706
 - individual effects models, 713–715
 - inference, 703–707
 - informative prior density, 700–703
 - interval estimation, 704
 - large-sample results, 707
 - literature, 694
 - marginal propensity to consume, 703
 - Metropolis–Hastings algorithm, 717
 - noninformative/informative prior, 698
 - panel data application, 713–715
 - point estimation, 703–704
 - posterior density, 695–697
 - prior. *See* prior
 - probability, 696–697
 - proponents of, 694
 - random parameters model, 715–721
- Bayesian inference, 703–707
- Bayesian information criterion (BIC), 144, 561
- Bayesian model averaging, 145–147
- Bayesian vs. classical testing, 117
- Beach, C., 1005
- Beach and MacKinnon estimator, 1005
- Beck, N. D., 794n63, 796, 796n64
- behavioral equations, 364
- Behrman, J., 287
- Bek-Akiva, M., 757n29, 759
- Bekker, P., 355
- Bell, K., 422, 423n31, 424n32
- Belsley, D., 95, 104, 105n19
- Bera, A., 944n26, 948
- Berndt, E., 19, 131n5, 330n3, 342n15, 342n16, 344, 345, 550n7, 560n14, 810
- Bernstein-von Mises theorem, 707
- Beron, K., 679, 680
- Berry, S., 641, 845, 863
- Bertrand, M., 387
- Bertschek, I., 689, 773, 785, 820, 820n78
- Berzeg, K., 411n21
- best linear unbiased (BLU), 301
- between-groups estimators, 390–393
- Beyer, A., 1048–1050, 1050n16
- Bhargava, A., 413n23, 427
- Bhat, C., 665, 836, 845
- BHHH algorithm, 1014
- BHHH estimator, 512, 550, 559, 560, 594, 744, 898
- BHPS, 374, 876
- bias, 245
 - attenuation, 244
 - attrition, 245, 801
 - bootstrap estimation technique, 651
 - nonresponse, 801
 - omitted variable, 242
 - sample selection, 245, 801
 - selection, 959
 - simultaneous equations, 243, 349n22
 - survivorship, 245
 - truncation, 245
 - underlying model, 148

1100 Index

- BIC, 144, 561
 - Billingsley, P., 993n8
 - bin, 479
 - binary choice, 726, 728–825
 - average partial effects, 735
 - bias reduction, 792
 - bivariate probit model, 807–819
 - choice-based sampling, 768–769
 - conditional fixed effects estimator, 787–792
 - dynamic models, 794–797
 - endogenous right-hand-side variables, 769
 - endogenous sampling, 777–779
 - estimation and inference, 742–757
 - fixed effects model, 785–794
 - functional form and probability, 731–734
 - goodness of fit, 757–762
 - heteroscedasticity, 764–766
 - hypothesis tests, 746–749
 - inference for partial effects, 749–755
 - interaction effects, 755–757
 - IPW estimator, 802, 803
 - latent regression model, 730–731
 - logit model. *See* logit model
 - maximum likelihood estimation, 808–810
 - MSL, 689–691, 799
 - multivariate probit model, 819–822
 - Mundlak's approach, 792
 - nonresponse, 801–804
 - omitted variables, 763
 - panel data, 780–804, 814
 - parameter heterogeneity, 799–801
 - pooled estimator, 781–782
 - probit model. *See* probit model
 - random effects model, 782–785
 - random utility models, 729–730
 - robust covariance matrix estimation, 744–746
 - semiparametric estimator, 472
 - semiparametric model of heterogeneity, 797–798
 - specification analysis, 762–769
 - structural equations, 730
 - zero correlation, 811
 - binary variable, 153–157
 - dummy variable trap, 157
 - modeling individual heterogeneity, 158–162
 - sets of categories, 162
 - several categories, 157–158
 - threshold effects/categorical variables, 163–164
 - treatment effects, 167–175
 - Binkley, J., 333n9
 - Birkes, D., 226n15
 - bivariate copula approach, 472
 - bivariate normal probability, 666
 - bivariate probit model, 807–819
 - bivariate regression, 32
 - block bootstrap, 652
 - BLP random parameters model, 863–865
 - BLU, 301
 - Blundell, R., 238n29, 443n40, 528n23, 744n21, 763n37, 764n40, 776, 944, 944n26
 - Bockstael, N., 422, 423n31, 424n32, 894
 - Boes, S., 866n27
 - Bollerslev, T., 1010n25, 1014, 1017n42, 1019n47
 - Bond, S., 437, 439, 443n40, 524n18, 528n23
 - bond rating agencies, 865
 - Bonjour, D., 244
 - book. *See* textbook
 - bootstrapping, 69, 228, 384–386, 650–653
 - Börsch-Supan, A., 668n22, 820n76
 - Boskin, M., 827
 - Bound, J., 280n20
 - bounds test, 1044
 - Bourgignon, F., 84n7
 - Bover, O., 415n28, 437, 439n38, 443n40, 524n18, 525, 527n22
 - Box, G., 214n7, 645, 989n7, 1004n19
 - Box-Cox transformation, 214–216
 - Box-Muller method, 645
 - Box-Pierce test, 1000–1001
 - Boyes, W., 760n34, 768n44, 779, 957
 - Brannas, K., 903
 - Brant test for health satisfaction, 873
 - Bray, T., 645
 - Breslaw, J., 667n21
 - Breusch, T., 315, 335, 382, 410, 450n41, 601, 607, 687n27, 1000
 - Breusch-Pagan Lagrange multiplier test, 315. *See also* Lagrange multiplier test
 - British Household Panel Survey (BHPS), 374, 876
 - Brock, W., 730n4
 - Brown, C., 945
 - Browning, M., 238n29
 - Brundy, J., 258
 - Bult, J., 625, 691n29
 - Burgess, G., 454
 - Burkhauser, R., 244
 - burn in, 708, 717
 - Burnett, N., 817
 - Burnside, C., 513n13
 - Buse, A., 308n9, 552n9
 - Butler, J., 615, 773, 782, 789, 820, 822
 - Butler, R., 227n16
 - Butler and Moffitt method, 615, 784
- ## C
- calculus and intermediate economics courses, 873–876
 - Caldwell, S., 937n25
 - Calzolari, G., 1012n29
 - Cameron, A., 101n18, 291n31, 387, 474, 562n15, 569n18, 575n21, 613, 650, 652, 695, 707, 714n18, 728, 890n55, 893, 901, 966n49
 - Cameron, C., 387, 472

- Campbell, J., 4, 511
- CAN estimator, 301
- canonical correlation, 1047
- capital asset pricing model (CAPM), 326, 1012
- Cappellari, L., 820
- Carey, K., 419, 439, 497, 498
- Carlin, J., 694n2, 717
- Carson, R., 847n13, 849, 894
- Case, A., 422
- Casella, G., 708n17
- Cassen, R., 620
- causal effects, 16, 291–294
- causal modeling, 291
- Cecchetti, S., 5, 1030, 1034
- censored normal distribution, 931–933
- censored random variable, 933
- censored regression (tobit) model, 933–936
- censored variable, 931
- censoring, 930–948
 - censored normal distribution, 931–933
 - corner solution model, 940
 - duration models. *See* duration models
 - estimation, 936
 - event counts, 894–896
 - examples of, 930
 - heteroscedasticity, 945
 - nonnormality, 947–948
 - panel data applications, 948
 - tobit model, 933–936, 945
 - two-part models, 938–942
- central limit theorem, 707, 994–996
- central moments, 492
- CES production function, 190–191, 203
- Chamberlain, G., 413n23, 414n24, 415n28, 418, 418n29, 498, 501n4, 619n44, 620n45–46, 702n9, 787, 792n62
- Chamberlain's approach, 416–421
- change in economic environment. *See* structural change
- characteristics, 828
- Chatterjee, P., 773
- Chenery, H., 342
- Cheng, T., 380
- Cherkas, L., 244
- Chesher, A., 743n18, 968n51
- Chiappori, R., 794
- Chib, S., 466, 711, 717
- Chintagunta, P., 845
- chi-squared test, 414, 452
- choice-based sampling, 768–769
- choice-based sampling estimator, 768
- choice methods, 725–917. *See also* microeconomic methods
- Cholesky decomposition, 646
- Cholesky factorization, 668
- Chow, G., 191n21, 192, 450n41
- Chow test, 191n21, 193
- Christensen, L., 19, 111, 131n5, 151, 204, 235, 241, 340, 342n15, 342n16, 343n18, 370
- Christofides, L., 811n72
- Chu, C., 1052
- classical likelihood-based estimation, 467–469
- classical model selection, 145
- classical regression model, 27
- Clayton copula, 471
- Cleveland, W., 237
- cluster estimator, 573–574
- clustering and stratification, 386–388
- cluster-robust estimator, 574
- Coakley, J., 445
- Cobb–Douglas production function, 340–342, 402–403
 - electricity generation, 111
 - functional form for nonlinear cost function, 186–188
 - generalization, 131
 - LAD estimation, 228
- Cochrane, D., 1004
- Cochrane and Orcutt estimator, 1004
- Cockburn, I., 691n29
- coefficient of determination, 43
- cointegrating rank, 1042
- cointegrating vector, 1040
- cointegration, 1039–1051
 - bounds test, 1044
 - common trend, 1043–1044
 - consumption and output, 1040–1041, 1046–1047
 - error correction and VAR representations, 1044–1045
 - estimating cointegration relationships, 1048
 - German money demand, 1048–1051
 - multiple cointegrating vectors, 1043
 - several cointegrated series, 1041–1042
 - testing for, 1045–1048
- common trend, 1043–1044
- complementary log model, 733
- complete system of equations, 348
- completeness condition, 351
- comprehensive model, 139
- concentrated log likelihood, 426, 582, 618, 619
- condition number, 95
- conditional density, 467
- conditional fixed effects estimator, 787–792
- conditional likelihood function, 787
- conditional logit model, 795, 828, 833–834
- conditional mean function, 17, 202
- conditional median, 13, 202
- conditional moment tests, 948
- conditional variance, 307
- conditional variation, 13
- confidence interval, 63, 81–85
- confirmation of a model, 7
- conjugate prior, 700
- consistency, 63–66, 482

1102 Index

consistency of M estimators, 485
consistency of the test, 116–117
consistent and asymptotically normally distributed (CAN), 301
consistent estimator, 65, 250
constant elasticity, 19
constant returns to scale, 342
constant variance, 24
consumption data (1940–50), 15
consumption function, 141, 291
 fit, 44
 gasoline, 192
 instrumental variables estimates, 291
 Keynes, 5, 14–15
contiguity, 423
contiguity matrix, 423
continuous distributions, 645–646
Contoyannis, C., 245, 751n26, 875n35, 877, 878, 880n44, 961, 965
contrasts, 398
control function, 779
control function approach, 259–261
control group, 168
control observations, 168
convergence of (the) moments, 516, 991–994
convergence to normality, 994–996
Conway, D., 198
copula functions, 469
corner solution model, 940
Cornwell, C., 258, 385, 393n8
correlation
 canonical, 1047
 causation and, 291
 residual, 388
 serial. *See* serial correlation
 spatial error, 426
 tetrachoric, 810
 zero, 811
cost function (U.S. manufacturing), 344–346
cost function model, 340–342
cost shares, 343
Coulson, N., 1010n25
counterfactual, 16
counts of events. *See* models for counts of events
covariance, 23
covariance matrix, 297
covariance stationary, 985
covariate, 12, 13
Cover, J., 422
Cox, D., 139, 214n7, 969n54, 974
Cox test, 143
CPS, 374
Cragg, J., 284n25, 757n29, 1010
Cramér, H., 545, 548
Cramer, J., 757n29, 759
Cramér-Rao lower bound, 469, 548

Crawford, I., 238n29
credit card expenditure, 231–233
credit scoring, 768–769
criterion function, 483, 497
Culver, S., 445
Cumby, R., 501n4
Current Population Survey (CPS), 374

D

D test, 513n14
D-i-D estimators, 168n12
DAddio, A., 875n34
Dahlberg, M., 532
Dale, S., 4, 243, 247, 292
Daly, A., 854
Das, M., 876
Dastoor, N., 140n12
data envelopment analysis, 928
data generating mechanism, 467
data generating process (DGP), 1027
data generation, 17
data imputation, 98–101
data problems, 93–107
data smoothing, 237
Davidson, J., 466n3, 506
Davidson, R., 140, 141, 202n1, 206, 207, 210, 277, 290, 300, 350n23, 483, 486, 501n4, 542n5, 549, 584n28, 650, 652, 747, 763n37, 765, 992, 994n10, 997, 1016n38, 1023n2, 1026n3
Davidson and MacKinnon *J* test, 140–141
Deaton, A., 140n12, 342n16
Deb, P., 632
Debreu, G., 924
decomposition, 84
degree of truncation, 921
degrees of freedom, 39
degrees of freedom correction, 387
delta method
 asymptotic covariance matrix, 936
 asymptotic distribution, 78–79
 Krinsky and Robb technique, 648
 standard errors, 215
demand system, 340
DeMaris, A., 866n27
Dempster, A., 897n60
density, 467
dependence parameter, 471
dependent variable, 17, 826
DeSarbo, W., 625, 691n29
DesChamps, P., 330n3
deseasonalizing the data, 157
deterministic relationship, 14
deterministic theory, 7
detrending, 1027
developing countries, 459

- deviance, 887
 - Dezhbaksh, H., 1002n18
 - DGP, 1027
 - Dhrymes, P., 728
 - Dickey, D., 1028–1030, 1035, 1037, 1038
 - Dickey-Fuller tests, 1029–1038
 - Diebold, F., 144n16, 144n17
 - Dielman, T., 374n2
 - Diewert, E., 342n17
 - difference in differences, 168
 - difference in differences regression, 167–175
 - difference operator, 1022–1023
 - differencing, 1023–1026
 - different parameter vectors, 191–193
 - DiNardo, J., 227n18
 - direct product, 674
 - discrepancy vector, 123
 - discrete change in underlying process. *See* structural change
 - discrete choice, 725–917. *See also* microeconomic methods
 - discrete populations, 646–647
 - discrete uniform distribution, 647
 - discriminant analysis, 760n33
 - distributed lag model, 137
 - disturbance, 14, 28, 987–990
 - doctor visits
 - count data models, 892–894
 - geometric regression model, 597–600
 - hurdle model, 909–910
 - insurance, 958–961
 - panel data model, 904–905
 - Dodge, Y., 226n15
 - Domowitz, I., 1010n25
 - Donald, S., 387
 - Doob, J., 993
 - Doppelhofer, G., 146
 - double-length regression, 1016
 - Dreze, J., 187
 - Duan's smearing estimator, 88
 - Dufflo, E., 387
 - dummy variable. *See* binary variable
 - dummy variable trap, 157
 - Duncan, G., 299n1, 944n26
 - duration models, 965–976
 - duration data, 966–967
 - exogenous variables, 971–972
 - hazard function, 968–970
 - heterogeneity, 972–973
 - maximum likelihood estimation, 970–971
 - nonparametric/semiparametric approaches, 973–975
 - parametric models of duration, 967–973
 - proportional hazard model, 974, 975
 - survival function, 967, 969
 - survival models (strike duration), 975–976
 - Durbin, J., 1002, 1002n18, 1004
 - Durbin-Watson statistic, 1001
 - Durbin-Watson test, 1001–1002
 - Durbin's test, 1002
 - Durlauf, S., 730n4
 - Dwivedi, T., 333
 - dynamic binary choice model, 794–797
 - dynamic labor supply equation, 443–445
 - dynamic model, 351
 - dynamic ordered choice model, 878–880
 - dynamic panel data models, 436–445, 455–459, 523–534
 - dynamic SUR model, 330n3
- E**
- earnings and education, 15–16
 - earnings equation, 122–124, 129
 - ECHP, 876
 - econometric model, 5–8, 348
 - econometrics
 - applied, 3
 - macroeconometrics, 4–5
 - microeconometrics, 4–5
 - paradigm, 1–3
 - practice of, 3–4
 - theoretical, 3
 - economic returns to schooling, 432
 - economic time series, 297
 - education, 16
 - effect of the treatment on the treated, 16, 243
 - efficiency of FGLS estimator, 310
 - efficient estimator, 307
 - efficient scale, 111
 - efficient score, 557
 - efficient two-step estimator, 1016
 - Efron, B., 650n6, 652, 757n29
 - Eichenbaum, M., 513n14
 - Eicker, F., 299n1
 - Eisenberg, D., 816n73
 - Elashoff, R., 99
 - Elliot, G., 1037
 - empirical likelihood function, 473
 - empirical moment equation, 506
 - encompassing model, 140
 - encompassing principle, 139
 - Enders, W., 1022
 - endogeneity, 427–446
 - endogeneity and instrumental variable estimation, 242–296
 - assumptions of extended model, 246–248
 - causal effects, 291–294
 - consumption function, 291
 - endogenous, 242
 - endogenous right hand side variables, 242–245
 - endogenous treatment effects, 243
 - IV estimator, 249–250, 281

1104 Index

- endogeneity and instrumental variable estimation
(*continued*)
 - least squares, 249
 - least squares attenuation, 282–284
 - measurement error, 281–288
 - nonlinear instrumental variables estimation, 288–291
 - overidentification, 277–279
 - overview, 246
 - problem of endogeneity, 247
 - specification test, 275
 - two-stage least squares, 256–262
 - weak instruments, 279–281
 - where endogeneity arises, 242–245
 - Wu specification test, 276–277
- endogenous, 26
- endogenous sampling, 777–779
- endogenous treatment in health care utilization,
913–914
- Engle, R., 2, 763n37, 1010n24, 1012, 1040n12, 1045,
1046, 1048, 1050
- entropy, 474
- Epanechnikov kernel, 237
- Epstein, D., 794n63, 796
- equation systems. *See* systems of equations
- equilibrium, 327
- equilibrium condition, 364
- equilibrium error, 1042
- equilibrium multiplier, 456
- ergodic stationarity, 552
- ergodic theorem, 507, 993
- ergodicity, 992
- ergodicity of functions, 993
- Ericsson, N., 1050
- error
 - equilibrium, 1042
 - mean absolute, 93
 - measurement, 102–104, 244, 281–288
 - prediction, 86
 - root mean squared, 92
 - specification, 952
 - standard, 62
- error components model, 405
- error correction, 1040
- Estes, E., 234n25
- estimated quantile regression models, 233
- estimated random coefficients models, 452
- estimation, 465–487. *See also* estimation and inference; estimator
 - Bayesian. *See* Bayesian estimation and inference
 - censoring, 936
 - classical likelihood-based, 467–469
 - copula functions, 469
 - cost functions, 188
 - D-i-D, 168
 - GMM. *See* generalized method of moments (GMM) estimation
 - instrumental variable, 427–429
 - interval, 704
 - IV. *See* endogeneity and instrumental variable estimation
 - kernel density, 478–481
 - kernel density methods, 475–476
 - LAD. *See* LAD estimator/estimation
 - least squares. *See* least squares estimator/estimation
 - maximum empirical likelihood, 473
 - MDE, 496–501
 - method of moments. *See* method of moments
 - MLE. *See* maximum likelihood estimation (MLE)
 - nonparametric, 478–481
 - parametric estimation and inference, 467–472
 - semiparametric, 472–477
 - simulation-based. *See* simulation-based estimation
- estimation and inference. *See also* estimation
 - binary choice, 742–917
- estimation criterion, 467
- estimation of demand systems, 365
- estimator. *See also* estimation
 - Ahn and Schmidt, 530
 - Aitken, 307
 - Amemiya and MaCurdy, 527
 - Anderson and Hsiao, 433–436
 - Arellano and Bond, 436–445
 - asymptotic properties, 485–487
 - Beach and MacKinnon, 1005
 - best linear unbiased, 301
 - between-groups, 390–393
 - CAN, 301
 - choice-based sampling, 768
 - cluster, 573–574
 - cluster-robust, 574
 - Cochrane and Orcutt, 1004
 - conditional fixed effects, 787–792
 - consistent, 65, 250
 - Duan's smearing, 88
 - efficient, 307
 - efficient two-step, 1016
 - extremum, 483–485
 - full information, 358
 - group means, 392
 - Hausman and Taylor, 429–433, 527
 - IPW, 802, 803, 965
 - IV, 249–250
 - least variance ratio, 359
 - limited information, 358
 - LIML, 604–605
 - linear, 62
 - linear unbiased, 57
 - loess, 237
 - M, 485, 486
 - MDE, 419, 455, 496–501
 - MELO, 704
 - mixed, 702n10

- moment-free LIML, 281
- Newey-West, 510, 999
- partial likelihood, 974
- Prais and Winsten, 1005
- product limit, 973
- properties, 481–487
- pseudo maximum likelihood, 676
- QMLE, 744, 745
- reinterpreting within, 399–400
- restricted least squares, 126–127
- sampling theory, 704
- sandwich, 744
- smearing, 88
- statistical properties, 481–482
- Swamy, 459
- 3SLS, 363, 364, 604
- 2SLS, 359
- WESML, 768, 769
- within-groups, 390–393
- ZEF, 333n10
- Euler equations, 488–489
- European Community Household Panel (ECHP), 876
- Evans, D., 194, 645
- Evans, G., 1028n8
- event counts. *See* models for counts of events
- ex ante forecast, 86
- ex post forecast, 86
- ex post prediction, 86
- exactly identified, 190, 496, 502, 515, 518
- exchange rate volatility, 1017–1018
- exclusion restrictions, 128, 354
- exogeneity, 26–27
- exogeneity of the independent variables, 17
- exogenous, 242, 348
- exogenous treatment assignment (clinical trial), 174
- expectations-augmented Phillips curve, 983
- expenditure surveys, 297
- explained variable, 13
- explanatory variable, 13
- exponential distribution, 969
- exponential family, 492
- exponential model, 972
- exponential regression model, 618
- exposure, 891
- extramarital affairs, 897–898, 942–943
- extremum estimator, 483–485

- F**
- F* statistic, 118, 123–124, 147, 211
- F* test (earnings equation), 129
- Fair, R., 92n9, 193n22, 831, 897, 931, 942
- Fannie Mae, 453, 454
- Fannie Mae's pass through, 453–455
- Farber, H., 958n46
- Farrell, M., 924
- feasible generalized least squares (FGLS), 333–334, 408–410, 453
- Feibig, 846
- Feldstein, M., 92
- female labor supply, 950, 956
- FENB model, 901
- Fernandez, A., 730n4, 744n21
- Fernandez, L., 947n29
- Fernandez-Val, I., 413n23
- Ferrer-i-Carbonel, A., 883n47
- FGLS, 333–334, 408–410, 453
- FGM copula, 471
- FIC, 145
- Fiebig, D., 329, 333n8
- Fiebig, D. R., 329
- FIML. *See* full information maximum likelihood (FIML)
- Fin, T., 938
- financial econometrics, 4
- finite mixture model, 622
- finite sample properties, 54, 57, 63
- Finney, D., 732n7
- Fiorentini, G., 1012n29, 1016n39
- first difference, 390, 1025
- first-generation random coefficients model, 451n42
- first-order autoregression or AR(1) process, 987
- Fisher, F., 764n38
- Fisher, G., 141n15
- Fisher, R., 467, 488
- fit of a consumption function, 44
- fit of the regression, 126–130
- fitting criterion, 29
- fixed effects logit models, 789–793
- fixed effects model, 376, 393–404
 - assumption, 393
 - binary choice, 785–794
 - Chamberlain's approach, 416–421
 - event counts, 900–902
 - fixed time and group effects, 398–399
 - least squares estimation, 393–396
 - LSDV model, 394
 - nonlinear regression, 447–449
 - parameter heterogeneity, 401–404
 - random vs., 416
 - reinterpreting within estimator, 399–400
 - robust covariance matrix for b_{LSDV} , 396–397
 - testing significance of group effects, 397–398
 - wage equation, 397–398
- fixed effects multinomial logit model, 859–860
- fixed effects negative binomial (FENB) model, 901
- fixed panel, 377
- Flannery, B., 644n2, 647
- Fleissig, A., 445
- flexible functional forms, 19, 342–346
- Florens, J., 966n49
- Flores-Lagunes, A., 422, 423, 728

1106 Index

focused information criterion (FIC), 145
Fomby, T., 215n9, 313n15
forecasting, 92–93
Fougere, D., 966n49
Fowler, C., 422
fractional moments (truncated normal distribution), 663–664
fractionally integrated series (ARFIMA), 1023n2
Frank copula, 471
Frankel, J., 445
Freedman, D., 576, 614n40, 744n22
Friedman, M., 14
Frijters, P., 883n47
Frisch, R., 2
Frisch–Waugh theorem, 28
Frisch–Waugh–Lovell theorem, 36
full information estimator, 358
full information maximum likelihood (FIML), 362
 nested logit models, 839
 simultaneous equations models, 604–605
 two-step MLE, 564
full rank, 20–21
full rank quadratic form, 123n1
Fuller, W., 313n14, 409n18, 1028–1030, 1035, 1037, 1038
functional form, 153–201
 binary variable. *See* binary variable
 interaction effects, 185–186
 intrinsically linear models, 188–191
 loglinear model, 183
 nonlinearity, 186–188
 piecewise linear regression, 177
functionally independent, 120
fundamental probability transform, 470, 645

G

Gallant, A., 350n23
Gallant, R., 350n23
gamma distribution, 493
Garber, S., 284n25
GARCH model, 24, 1014–1017
gasoline consumption functions, 193
gasoline market, 19
Gauss–Hermite quadrature, 615, 616, 662
Gauss–Markov theorem, 62–63, 86, 307
Gauss–Newton method, 222
Gaussian copula, 471
Gelman, A., 694n2, 717
gender economics courses, 817–819
general linear hypothesis, 118–119
general nonlinear hypothesis, 120
generalized autoregressive conditional
 heteroscedasticity (GARCH) model,
 1014–1017
generalized Cobb–Douglas function, 111, 130. *See also*
 Cobb–Douglas production function

generalized least squares
 FGLS, 333–334, 408–410
 random effects model, 407–408
 SUR model, 332–334
generalized linear regression model, 297
generalized method of moments (GMM) estimation,
 427, 443, 473, 500–510
 asymptotic distribution, 508
 counterparts to Wald, LM, and LR tests, 512–513
 dynamic panel data models, 523–534
 generalizing the method of moments, 502–506
 local government expenditures, 530–534
 nonlinear regression model, 504–506
 orthogonality conditions, 501–502
 panel data sets, 443
 properties, 506–510
 serial correlation, 999–1000
 simultaneous equations models, 514
 single-equation linear models, 514–519
 single-equation nonlinear models, 519–522
 testing hypotheses, 510–513
 validity of moment restrictions, 510–511
generalized mixed logit model, 846–847
generalized ordered choice models, 881–883
generalized regression model, 332
generalized residual, 743n18, 968
generalized sum of squares, 308, 585
general-to-simple approach to model building,
 143–147
Gentle, J., 64n3, 645
George, E., 708n17
German money demand, 1048–1051
German Socioeconomic Panel (GSOEP), 216, 374, 873
Geweke, J., 664, 667n21, 694, 820n76
GHK simulator, 666–668
GHK smooth recursive simulator, 668
Ghysels, E., 1010n23
Gibbs sampler, 708, 711–712
Gill, J., 694n2
GLAMM program, 681
GMM estimation. *See* generalized method of
 moments (GMM) estimation
GNP deflator, 1024
Godfrey, L., 280, 552n8, 589, 656, 687n27, 944n26, 1000
Godfrey statistic, 280
Goldberger, A., 702n10, 936n24, 947n29
Goldfeld and Quandt’s mixture of normals model, 622
Gonzalez, P., 378
Good, D., 162
goodness of fit, 41–44, 757–762, 887–888
Gordin, M., 995n14
Gordin’s central limit theorem, 996
Gourieroux, C., 139n9, 140n12, 570n19, 595, 597,
 667n21, 670, 944n26, 1018n45
grade point average, 623–626
gradient, 225

- Granger, C., 2, 139n10, 1026, 1027, 1040n12, 1044, 1044n14, 1045, 1046, 1048, 1050
- Granger representation theorem, 1044n14
- Gravelle, H., 194n23, 392
- Greenberg, E., 466, 717
- Greene, W., 111, 127, 151, 157n1, 162, 194, 194n23, 220, 231, 235, 241, 340, 342n17, 344n19, 370, 378n4, 392n7, 469, 478, 619, 619n43, 624, 625, 629n49, 644n3, 651, 658, 659, 663, 691n29, 725, 728, 728n3, 732n7, 749, 755n27, 768n44, 769, 779, 779n49, 782, 784n53, 785, 787, 787n56, 794n63, 811n72, 817, 820, 820n77, 827, 839n10, 845, 846, 851n17, 866n27, 887n50, 890n55, 891, 892, 902n63, 903, 905, 910, 913, 924n7, 927n14, 928, 931, 934n23, 937, 948, 953n36, 954n40, 958, 959, 961, 974
- Grenander conditions, 64
- Griesinger, H., 784
- Griffin, J., 318
- Griffiths, W., 64n2, 308n9, 365n27, 392n6, 408n17, 483n12, 700n7
- Griliches, Z., 99, 284n25, 310, 371n28, 457n48, 762, 781, 1005
- Grogger, J., 894
- Gronau, R., 950n33
- group effects, 398–399
- group means, 388–389
- group means estimator, 392
- growth model for developing countries, 459
- Grunfeld, Y., 371n28, 463
- GSOEP, 216, 374, 873
- Guilkey, D., 330n3, 796n64
- Gumbel model, 733
- Gurmu, S., 97n13
- H**
- Haavelmo, T., 2
- Hadamard product, 674
- Hadri's LM statistic, 1052
- Hahn, J., 280, 280n19, 793, 948
- Hajivassiliou, A., 670
- Hajivassiliou, V., 668n22, 820n76
- Hakkio, C., 1010n25
- Hall, B., 550n7, 810
- Hall, R., 488, 489, 511, 550n7, 810
- Hall's permanent income model of consumption, 488
- Halton draw, 665–667
- Hamilton, J., 995n12, 997, 1022n1, 1028n9, 1038, 1040n12, 1044n13, 1044n14
- Han, A., 975
- Hansen, B., 145, 785
- Hansen, L., 489n1, 498, 501n4, 503n8, 503n9, 504, 508n12, 773, 785
- Hanushek, E., 4
- Hardin, T., 811n72
- Hardle, W., 226n15, 238n30, 478n9
- Harris, M. N., 906n66
- Harvey, A., 313n13, 586, 588, 764, 1015, 1023n2
- Harvey's model of multiplicative heteroscedasticity, 315, 586–589
- Haskel, J., 244
- Hatanaka, M., 1007
- Hausman, J., 277, 280, 280n19, 281, 414, 414n24, 427, 429, 430, 432, 443, 527n21, 550n7, 764n38, 810, 835, 836, 901, 924n7, 961, 964, 975
- Hausman and Taylor estimator, 429–433, 525, 527
- Hausman specification test, 276–277, 414–415, 432
- Hausman test, 277
- Hawkes, D., 244
- Hayashi, F., 466n3, 487, 501n4, 506, 995n14, 997, 999n15
- hazard function, 921, 968–970
- hazard model, 966
- hazard rate, 968
- health care utilization, 446–447, 631, 813
- health expenditures, 426–427
- health insurance market, 865
- health satisfaction, 877–878
- Heaton, J., 503n9, 508n12
- Heckman, J., 2, 4, 245, 292n32, 380, 569, 584n16, 620n46, 628, 633, 658, 730n4, 744n20, 772, 779, 786, 791, 794, 796, 797, 801, 805, 923n6, 949n31, 950n33, 953, 966n49, 976
- Heckman's model of labor supply, 7
- Heilbron, D., 905
- Hendry, D., 655, 1048, 1050
- Hensher, D., 378n4, 728, 728n3, 732n7, 827, 839n10, 845, 846, 851n17, 866n27
- Hess, S., 851n17, 854
- Hessian, 495, 545, 587, 619
- heterogeneity, 794
- heterogeneity in parameter models, 401–404, 450–459.
See also random parameter models
- heterogeneity regression model, 889–890
- heteroscedastic extreme value (HEV) model, 836
- heteroscedastic regression model, 310, 312
- heteroscedasticity
- ARCH, 1010–1014
 - binary choice, 764–766
 - censoring, 945
 - GARCH model, 1014–1017
 - HEV model, 836
 - linear regression model, 24
 - multiplicative, 315–317, 586–589, 946–947
 - nonnormality, 947–948
 - random effects model, 421–422
- HEV model, 836
- HHG model, 902
- hierarchical linear models, 453–455, 678–680
- hierarchical model, 377
- hierarchical prior, 714

1108 Index

high school performance (catholic school attendance), 817

highest posterior density (HPD) interval, 90, 704

Hildebrand, G., 130n4

Hildreth, C., 450n41

Hildreth–Houck–Swamy approach, 459

Hill, C., 64n2, 95n12, 215n9, 308n9, 313n15, 365n27, 392n6, 408n17, 483n12, 700n7

Hilts, J., 194

histogram, 478, 479

Hoeting, J., 146n19

Hoffman, D., 760n34, 768n44, 779, 957

Hole, A., 648

Hollingshead scale of occupations, 831–832

Hollingsworth, J., 194n23

Holly, A., 350n23

Holt, M., 330n3

Holtz-Eakin, D., 530n24

home heating systems, 832–833

home prices, 679

homogeneity restriction, 334

homoscedasticity, 24

Honoré, B., 234n25, 795, 849

Horn, A., 299n1

Horn, D. A., 299n1

Horowitz, J., 539n2, 650n6, 650n7, 731n5, 744n21, 764n38, 944n26

hospital cost function, 498–500

hospital costs, 419–421

Hotz, J., 773, 785

Houck, C., 450n41

hours worked, 937

Hoxby, C., 4, 252–254

HPD interval, 90, 704

Hsiao, C., 374n2, 411n21, 435–437, 450n41, 452n44, 456, 459, 524n18, 658, 786, 789n61, 794n63

Huang, D., 333n10, 463

Huber, P., 68, 227, 570n19

Hudak, S., 424n32

Huizinga, J., 501n4

Hurd, M., 945

hurdle model, 477n8, 905–906, 966

Hussain, A., 409n18

hypothesis testing and model selection, 113–152

- acceptance/rejection methodology, 116
- AIC/BIC, 144
- Bayesian estimation, 705–706
- Bayesian model averaging, 145–147
- Bayesian vs. classical testing, 117
- binary choice, 746–749
- consistency of the test, 116–117
- encompassing model, 140
- F statistic, 118, 123–124, 147
- fit of the regression, 126–130
- general linear hypothesis, 118–119
- general nonlinear hypothesis, 120

general-to-simple approach to model building, 143–147

J linear restrictions, 128

J test, 141, 145

Lagrange multiplier test, 117

large-sample test, 133–136

model building, 143–147

model selection, 144–147

nested models, 115

nonlinear restrictions, 136–138

null/alternative hypothesis, 114–115

power of the test, 116

RESET test, 141–143

restricted least squares estimator, 126–127

restrictions and hypotheses, 114–115

significance of the regression, 129

size of the test, 116

specification test, 141–142

t ratio, 121

testing procedures, 116

Wald test, 120–126

hypothesis testing methodology, 113–117

Hyslop, D., 282n22, 796, 820

I

identical explanatory variable, 333

identical regressors, 326

identifiability of parameters, 483–484

identification, 256, 283, 507, 516, 538

identification condition, 20, 190, 209

identification problem, 205, 353–357

identification through functional form, 882

ignorable case, 99

IIA assumption, 834–835

Im, E., 418n29, 1051n19, 1052

Im, K., 445

Imbens, G., 282n22, 415

Imhof, J., 1003

improper prior, 714

“Incentive Effects in the Demand for Health Care: A Bivariate Panel Count Data Estimation” (Riphahn et al.), 216, 446

incidental parameters problem, 448, 620, 656–660

incidental truncation, 949. *See also* sample selection

inclusion of superfluous (irrelevant) variables, 61

inclusive value, 838

income elasticity (credit card expenditure), 231–233

independence, 26–27

independence from irrelevant alternatives (IIA)

- assumption, 834–835

independent variable, 13

index function model, 447, 614, 730

indicator, 286

indirect utility function, 204

individual effect, 375

individual effects models, 713–715
 individual regression coefficients, 37
 inestimable model, 21–22
 inference, 467. *See also* estimation and inference
 influential observations, 104–107
 information matrix equality, 543, 545
 informative prior, 698
 informative prior density, 700–703
 initial conditions, 794, 986
 Inkmann, J., 785
 innovation, 985
 instrumental variable, 436
 instrumental variable analysis, 252–254
 instrumental variable estimation, 427–429, 436. *See also*
 endogeneity and instrumental variable estimation
 instrumental variable estimation (labor supply
 equation), 258–259
 instrumental variable in regression, 255–256
 instrumental variables estimates (consumption
 function), 291
 instrumental variables estimator, 249–250
 integrated hazard function, 968
 integrated of order one, 1023
 integrated process and differencing, 1023–1026
 intelligent draw, 665
 intemporal labor force participation equation, 796–797
 intensity equation, 939
 interaction effects, 185–186, 220, 755–757
 interaction effects (loglinear model for income),
 216–220
 interaction terms, 185, 219–220
 interdependent, 348
 interval estimation, 54, 81–85, 704
 intrinsic linearity, 189–190
 intrinsically linear equation, 188
 intrinsically linear models, 188–191
 intrinsically linear regression, 189–190
 invariance, 359, 542, 548–549
 invariance property, 189
 invariant, 340
 inverse Gaussian (Wald) distribution, 491
 inverse Mills ratio, 921
 inverse probability weighted (IPW) estimator, 802,
 803, 965
 inverse probability weighting (IPW) approach,
 378–379
 inverted gamma distribution, 698
 inverted Wishart, 716
 investment equation, 30–33
 IPW approach, 378–379
 IPW estimator, 802, 803, 965
 Irish, M., 944n26, 968n51
 iteration, 223, 224
 IV estimation. *See* endogeneity and instrumental
 variable estimation
 IV estimator, 249–250, 281

J

J linear restrictions, 128
 J test, 141, 145
 jackknife technique, 300n4
 Jackman, S., 794n63, 796
 Jacobian, 211, 576, 615
 Jacobs, R., 194n23, 392
 Jaeger, D., 280n20
 Jain, D., 845
 Jakubson, G., 796
 Jarque, C., 931, 944n26
 Jenkins, G., 989n7, 1004n19
 Jenkins, S., 820
 Job Training Partnership Act (JTPA), 244
 Jobson, J., 313n14
 Johansen, S., 1045
 Johanssen, P., 903
 Johansson, E., 530
 Johnson, N., 905, 921, 921n4
 Johnson, R., 162, 335n12
 Johnson, S., 215n9, 313n15, 744n20
 Johnston, J., 227n18, 359n26
 joint modeling (pair of event counts), 472
 joint posterior distribution, 699
 jointly dependent or endogenous, 348
 Jondrow, J., 926
 Jones, A., 165, 194n23, 245, 374, 392, 751n26, 771n46,
 795, 801, 878, 965
 Jones, J., 795
 Jorgenson, D., 151, 204, 258, 342n16, 343n18
 JTPA, 244
 Judge, C., 483n12
 Judge, G., 64n2, 207, 209n4, 212n6, 308n9, 365n27,
 392n6, 408n17, 466n3, 483n12, 506, 570n19,
 697n3, 700n7, 702n9, 1012n29
 Jung, B., 609n36
 Juselius, K., 1048

K

Kalbfleisch, J., 947, 966n49, 969n54, 971, 974
 Kamlich, R., 198
 Kang, H., 1027n5
 Kao, C., 445, 446, 1052n22
 Kaplan, E., 972
 Kay, R., 757n29, 759
 Keane, M., 292n33, 292n34, 667n21, 668n22, 796,
 820n76, 846, 961
 Kelejian, H., 425
 Kenkel, D., 961
 Kennan, J., 969n52, 975
 kernel, 228
 kernel density estimation, 478–481
 kernel density estimator, 228
 income, 217
 least squares residuals, 70

1110 Index

kernel density methods, 475–476
kernel function, 237
kernel weighted regression estimator, 237
kernels for density estimation, 480
Keuzenkamp, H., 7n4
Keynes's consumption function, 5, 14–15
Kiefer, N., 811n71, 966n49, 970n55, 972, 975
Kim, I., 1037
Kingdon, G., 620
kitchen sink regression, 143
Kiviet, J., 330n3, 436, 524n17
Kleiber, C., 463
Kleibergen, F., 280n19, 294n39
Klein, L., 2, 364
Klein, R., 477
Klein's model I, 364–366
Kleit, R., 422
Klepper, S., 284n25
KLIC, 562
Klier, T., 422
Klugman, S., 469
Kmenta, J., 190, 318n16, 586, 600, 601, 603
Knapp, L., 764n38
Knapp, M., 426
Knight, F., 924
Kobayashi, M., 194
Koenker, R., 68, 226n15, 227, 227n17, 228, 314
Koolman, X., 801, 965
Koop, G., 146, 150, 200, 664n17, 685, 694n2, 714n18, 717
Kotz, S., 905, 921n4, 922n5
KPSS test of stationarity, 1038–1039
Krailo, M., 788n58
Kreuger, A., 4, 243, 247, 287, 292
Krinsky, I., 344n20, 648, 749
Krinsky and Robb technique, 647–650
Kronecker product, 332, 674
Krueger, A., 16, 244
Kruskal's theorem, 322
Kuersteiner, G., 793
Kuh, E., 95, 104, 105n19
Kulasi, F., 445
Kullback–Leibler information criterion (KLIC), 562
Kumbhakar, S., 329, 625, 924, 928
Kwiatkowski, D., 1038
Kyriazidou, E., 795, 948, 961, 964

L

labor force participation model, 728, 765–766
labor supply, 950–953, 956
labor supply model, 258–259, 277, 776–777
lack of invariance, 138
LAD estimator/estimation, 226–228

Cobb–Douglas production function, 228
computational complexity, 947
least squares, compared, 68–70
Powell's censored LAD estimator, 476
quantile regression, 475
lag and difference operators, 1022–1023
lag operator, 1022–1023
Lagarde, M., 827, 852
Lagrange multiplier statistic. *See also* Lagrange multiplier test
GMM estimation, 513, 514
limiting distribution, 558
nonlinear regression model, 212
SUR model, 602–604
zero correlation, 811
Lagrange multiplier test, 314–315. *See also* Lagrange multiplier statistic
autocorrelation, 1000–1002
groupwise heteroscedasticity, 317–320
hypothesis testing, 136, 211, 212, 746–749
MLE, 557–558, 582
random effects, 410
SUR model, 335
Lagrangian problem, 89, 187
Lahiri, K., 374n2
Laird, N., 897n60
Laisney, F., 744n21
LaLonde, R., 167
Lambert, D., 622, 905, 906
Lancaster, T., 395n12, 619, 620n47, 658n11, 694n2, 743n18, 786, 944n26, 955, 966n49, 969n53
Land, K., 691n29
Landwehr, J., 795
Lang, K., 387
large sample properties, 207–210
large-sample test, 133–136
latent class analysis of the demand for green energy, 849–851
latent class linear regression model, 625
latent class models, 622–635, 688–691, 849
latent regression model, 730–731
latent variable, 933
latent variable problem, 286n27
Lau, L., 151, 204, 342n16, 343n18
Lauer, J., 194
Lavy, V., 387
law of iterated expectations, 22
Lawless, J., 974
Layson, K., 214n8
Le, T., 308n9
Le Sage, J., 422n30
Leamer, E., 146, 284n25, 694n2, 702n9
least absolute deviations estimation. *See* LAD estimator/estimation
least simulated sum of squares, 642

- least simulated sum of squares estimates of
production function model, 677–678
- least squares, 29
- least squares attenuation, 104, 282–284
- least squares coefficient vector, 29–30
- least squares dummy variable (LSDV) model, 394
- least squares estimator/estimation, 54–112
 - assumptions of linear regression model, 55
 - asymptotic distribution, 78–80
 - asymptotic efficiency, 67–68
 - asymptotic normality, 66–67
 - asymptotic properties, 63–73
 - confidence interval, 81–85
 - consistency, 63–66
 - data imputation, 99, 100
 - data problems, 93–107
 - delta method, 78–80
 - finite sample properties, 54, 57, 63
 - fixed effects model, 393–396
 - forecasting, 92–93
 - full information maximum likelihood (FIML), 362
 - Gauss-Markov theorem, 62–63, 86
 - inclusion of irrelevant variables, 61
 - influential observations, 104–107
 - interval estimation, 54, 81–85
 - measurement error, 102–104
 - minimum means squared error predictor, 56–57
 - minimum variance linear unbiased estimation, 57
 - missing values, 98–102
 - multicollinearity, 94–97
 - omitted variable bias, 59–61
 - outliers, 105–106
 - overview, 55–56
 - pooled regression model, 383
 - population orthogonality conditions, 55–56
 - prediction, 86–93
 - principal components, 97–98
 - random effects model, 405–406
 - serial correlation, 996–999
 - smearing, 249
 - statistical properties, 57–63
 - unbiased estimation, 59
 - variance of least squares estimator, 61–62
- least squares normal equations, 30
- least squares regression, 28–35
 - algebraic aspects, 33
 - investment equation, 30–33
 - least squares coefficient vector, 29–30
 - projection, 33–35
- least variance ratio estimator, 359
- LeCam, L., 548n6
- Lechner, M., 689, 744n21, 773, 785, 806, 820
- L'Ecuyer, P., 644n2
- Lee, K., 244, 455, 456
- Lee, L., 365n27, 374n2, 470, 483n12, 944n26
- Lee, M., 374n2
- Lee, T., 64n2, 392n6, 408n17
- Lerman, S., 757n29, 768
- Levi, M., 284n25
- Levin, A., 445, 1052
- Levin, D., 438n37
- Levinsohn, J., 641, 845, 863
- Lewbel, A., 475, 476, 731n5, 795
- Lewis, H., 950n33
- Li, P., 472n6
- Li, Q., 238n30, 422, 478n9
- Li, T., 472
- Li, W., 1010n26
- life cycle consumption, 488–489
- life expectancy, 195
- likelihood equation, 541, 544–545, 742
- likelihood function, 467, 537
- likelihood inequality, 546
- likelihood ratio, 552
- likelihood ratio index, 561, 757, 760
- likelihood ratio statistic, 335, 512, 588
- likelihood ratio test, 335, 554–555, 748, 760, 763
- Lilien, D., 1010n24, 1012
- LIMDEP/NLOGIT, 681
- limited dependent variables, 918–980. *See also*
microeconomic methods
- limited information, 839
- limited information estimator, 358
- limited information maximum likelihood (LIML)
estimator, 261–262, 359, 604–605
- limited information two-step maximum likelihood
approach, 839
- limiting distribution, 249
- LIML estimator, 359, 604–605
- Lin, C., 445, 1052
- Lindeberg-Feller central limit theorem, 67
- Lindeberg-Levy central limit theorem, 490, 494, 547
- linear estimator, 62
- linear independence, 26
- linear instrumental variables estimation, 292
- linear least squares, 6
- linear probability model, 741
- linear random effects model, 606–608
- linear regression model, 12–27. *See also* regression
modeling
 - assumptions, listed, 17–18
 - classical regression model, 27
 - data generation, 25
 - exogeneity, 26–27
 - exogeneity of independent variables, 17
 - full rank, 20–21
 - general form, 13
 - heteroscedasticity, 24
 - homoscedasticity, 24
 - how used, 13, 15

1112 Index

linear regression model (*continued*)
 independence, 26–27
 linearity, 17–20
 MLE, 576–585
 nonautocorrelated disturbances, 23–24
 normality, 25–26
 zero overall mean assumption, 22
 linear Taylor series approach, 79
 linear unbiased estimator, 57
 linear unobserved effects model, 416
 linearity, 17–20
 linearized regression model, 222–224
 linearly transformed regression, 48
 Ling, S., 1010n26
 Little, R., 99
 Little, S., 757n29, 759
 Liu, T., 130n4
 Ljung's refinement (Q test), 1001
 LM statistic. *See* Lagrange multiplier statistic
 LM test. *See* Lagrange multiplier test
 Lo, A., 4
 local government expenditures, 530–534
 locally weighted smoothed regression
 estimator, 236
 loess estimator, 236
 log wage equation, 165–166
 logistic kernel, 237
 logistic probability model, 568
 logit model
 basic form, 733
 conditional, 795, 833–834
 fixed effects, 789–793
 fixed effects multinomial, 859–860
 generalized mixed, 846–847
 mixed, 845–846
 multinomial, 829–831
 nested, 837–839
 structural break, 748–749
 log-likelihood function, 471, 538, 544, 593, 629
 loglinear conditional mean, 592
 loglinear model, 18, 183, 215
 loglinear regression model, 591–592
 lognormal mean, 666
 log-odds, 830
 Long, S., 757n29, 873n31
 long run elasticities, 456, 648–650
 long-run marginal propensity to consume,
 137–138
 long-run multiplier, 456, 457
 longitudinal data sets. *See* models for panel data
 Longley, J., 95
 loss function, 704
 Loudermilk, M., 450
 Lovell, K., 130n4, 918n1, 924–926, 928
 Lovell, M., 36n3
 Low, S., 760n34, 768n44, 779, 957

lowess estimator, 236
 LSDV model, 394
 Lucas, R., 1048

M

M estimator, 485, 486
 MacKinlay, A., 4
 MacKinnon, J., 140n13, 141, 202n1, 206, 207, 210, 277,
 290, 299n2, 300n3, 350n23, 483, 487, 501n4,
 542n5, 549, 584n28, 650, 652, 747, 763n37, 765,
 992, 994n10, 997, 1005, 1016n38, 1023n2
 macroeconomic methods, 981–1019
 nonstationary data. *See* nonstationary data
 serial correlation. *See* serial correlation
 macroeconometrics, 4–5
 MaCurdy, T., 527n21, 786, 796
 Maddala, G., 374n2, 408n17, 409n18, 410n19, 411n21,
 445, 457n48, 619n42, 697n3, 728, 733n9, 757n29,
 816n74, 839, 930n22, 945, 1028n7
 Madigan, D., 146n19
 Madlener, R., 827
 magazine prices, 789–793
 Magnac, T., 795
 major derogatory reports, 896–897
 Malaria control during pregnancy, 852–853
 Malinvaud, E., 497, 504n10
 Maloney, W., 378
 Mandy, D., 329
 Mankiw, G., 511
 Mann, H., 991, 1028
 Manpower Development and Training Act (MDTA),
 168
 Manski, C., 502, 728, 795, 949n31
 Manski's maximum score estimator, 795
 MA(1) process, 988
 MAR. *See* missing at random (MAR)
 marginal effect, 185, 740
 marginal propensity to consume (MPC), 137–138, 703
 Mariel boatlift, 169–170
 market equilibrium model, 346
 Markov chain, 644
 Markov-Chain Monte Carlo (MCMC), 681, 710
 Marsaglia, G., 645
 Marsaglia-Bray generator, 645
 Marsh, D., 851
 Marsh, T., 851
 martingale difference central limit theorem, 994
 martingale difference sequence, 994
 Martingale difference series, 508
 martingale sequence, 994
 Martins-Filho, C., 329
 matrix
 asymptotic covariance, 250, 280, 304, 318
 autocorrelation, 987
 autocovariance, 987

- contiguity, 423
- covariance, 297
- moment, 39
- positive definite, 297
- precision, 706
- projection, 34
- weighting, 307, 518
- matrix weighted average, 392
- Matyas, L., 374n2, 501n4
- maximum empirical likelihood estimation, 473–474
- maximum entropy, 474
- maximum entropy estimator, 475
- maximum likelihood estimation (MLE), 466, 537–640
 - asymptotic properties, 545–549
 - asymptotic variance, 548–551
 - BHHH estimator, 550
 - binary choice, 808–810
 - cluster estimator, 573–574
 - Cramér-Rao lower bound, 548
 - duration models, 970–971
 - finite mixture mode, 622–624
 - fixed effects in nonlinear models, 617–621
 - generalized regression model, 585–591
 - GMM estimation, 635
 - identification of parameters, 538–539
 - information matrix equality, 543, 545
 - KLIC, 562
 - latent class modeling, 622–635
 - likelihood equation, 541, 544–545
 - likelihood function, 537
 - likelihood inequality, 546
 - likelihood ratio, 552
 - likelihood ratio test, 554–555
 - linear random effects model, 606–608
 - LM test, 557–558
 - nested random effects, 609–612
 - nonlinear regression models, 591–600
 - normal linear regression model, 576–585
 - panel data applications, 605–621, 628–630
 - principle of maximum likelihood, 539–541
 - properties, 541–551
 - pseudo-MLE, 570–576
 - pseudo R^2 , 561
 - quadrature, 613–617
 - regression equations systems, 600–604
 - regularity conditions, 542–543
 - simultaneous equations models, 604–605
 - two-step MLE, 564–569
 - Vuong's test, 562–563
 - Wald test, 555–557
- maximum score, 795
- maximum score estimator, 795
- maximum simulated likelihood (MSL), 641, 643, 669–692
 - binary choice, 689–691, 799
 - hierarchical linear model of home prices, 679–680
 - random effects linear regression model, 672
 - random parameters production unction model, 678
- Mazzeo, M., 623, 712, 737
- MC^2 , 710
- McAleer, M., 139n9, 141n15, 1010n26
- MCAR, 801
- McCallum, B., 286
- McCoskey, S., 445, 1051n21, 1052n22
- McCulloch, R., 694n2
- McCullough, B., 92, 224n13, 1010n26, 1012n29, 1018n43
- McDonald, J., 227n16, 934
- McFadden, D., 2, 483, 487n14, 501n4, 506, 513n13, 552, 561, 667n21, 728, 757, 827, 835, 839n10, 846
- McKelvey, W., 757n29, 915
- McKenzie, C., 758n31, 785
- McLachlan, G., 625, 628, 629n49
- McLaren, K., 330n3
- MCMC, 681, 710
- McMillen, D., 422
- MDE, 290, 419, 455, 496–501
- MDTA, 168
- mean absolute error, 93
- mean independence, 17, 26, 376
- mean independence assumption, 963
- mean value theorem, 509
- mean vs. median, 654–655
- measurement error, 93, 102–104, 244, 389
- median, 225, 227
- median regression, 225, 227
- median vs. mean, 654–655
- Medical Expenditure Panel Survey (MEPS), 374
- Meier, P., 975
- Melenberg, B., 227n16, 476, 931, 938, 944n26
- MELO estimator, 704
- MEPS, 374
- Mersenne Twister, 644
- Merton, R., 1012
- Messer, K., 299n2
- method of instrumental variables, 245. *See also*
 - endogeneity and instrumental variable estimation
- method of moment generating functions, 492
- method of moments, 104, 473. *See also* generalized
 - method of moments (GMM) estimation
 - asymptotic properties, 493–497
 - basis of, 489
 - data generating process, 496
 - estimating parameters of distributions, 490–493
 - uncentered, 490
- method of moments estimator, 491
- method of scoring, 587–589, 743
- method of simulated moments, 864
- methodological dilemma, 694
- Metropolis-Hastings (M-H) algorithm, 717
- Meyer, B., 975

1114 Index

- M-H algorithm, 717
- Michelsen, C., 827
- Michigan Panel Study of Income Dynamics (PSID), 374
- microeconomic methods, 725–917
 - binary choice. *See* binary choice
 - censoring. *See* censoring
 - discrete choice, 725–917
 - duration models, 965, 966
 - event counts. *See* models for counts of events
 - hurdle model, 966
 - limited dependent variables, 918–980
 - multinomial choice. *See* multinomial choice
 - ordered choice models. *See* ordered choice models
 - sample selection. *See* sample selection
 - truncation, 918–930
- microeconometrics, 4–5
- migration equation, 957
- Miller, D., 209n4, 212n6, 387, 466n3, 506, 570n19, 697n3
- Miller, R., 146, 147
- Million, A., 10, 216, 375n3, 446, 567, 593, 597, 745, 748, 772, 801, 890n55, 910
- Mills, T., 1010n26
- Min, C., 146
- Minhas, B., 342
- minimal sufficient statistic, 787
- minimization, 290
- minimum distance estimator (MDE), 290, 419, 455, 496–501
- minimum expected loss (MELO) estimator, 704
- minimum means squared error predictor, 56–57
- minimum variance linear unbiased estimation, 57
- missing at random (MAR), 99
- missing completely at random (MCAR), 99, 801
- missing values, 93, 98–101
- Mittelhammer, R., 209n4, 212n6, 466n3, 506, 570n19, 697n3
- mixed estimator, 702n10
- mixed fixed growth model for developing countries, 459
- mixed linear model for wages, 685–688
- mixed logit model, 845–846
- mixed logit to evaluate a rebate program, 847–849
- mixed model, 679, 688, 689
- mixed (random parameters) multinomial logit model, 716
- mixed-fixed model, 459
- mixtures of normal distributions, 492
- Mizon, G., 139n11, 140n12, 984n3
- MLE. *See* maximum likelihood estimation (MLE)
- MLWin, 681, 694n1
- MNL model, 836
- MNP model, 836–837
- model building, 143–147
- model selection, 144–147
- models for counts of events, 726–727, 826, 884–914
 - censoring, 894–896
 - doctor visits. *See* doctor visits
 - endogenous variables/endogenous participation, 910–913
 - fixed effects, 900–902
 - functional forms, 890–892
 - goodness of fit, 887–888
 - heterogeneity regression model, 889–890
 - hurdle model, 905–906
 - negative binomial regression model, 889–890
 - overdispersion, 888–889
 - panel data model, 898–904
 - Poisson regression model, 885–887
 - pooled estimator, 898–900
 - random effects, 902–904
 - truncation, 894–896
 - two-part model, 905–906
 - zero-inflation model, 905–906
- models for panel data, 373–464
 - advantage of, 459
 - Anderson and Hsiao's IV estimator, 433–436
 - Arellano and Bond estimator, 436–445
 - attrition and unbalanced panels, 378–382
 - balanced and unbalanced panels, 377–378
 - Bayesian estimation, 713–715
 - binary choice, 789–793, 814
 - censoring, 948
 - dynamic panel data models, 436–445
 - endogeneity, 427–446
 - error components model, 405
 - event models, 898–904
 - extensions, 377
 - fixed effects model. *See* fixed effects model
 - general modeling framework, 375–376
 - Hausman and Taylor estimator, 429–433
 - incidental parameters problem, 448
 - literature, 374n2
 - LSDV model, 394
 - MLE, 605–621, 628–630
 - model structure, 376–377
 - nonlinear regression, 446–450
 - nonspherical disturbances and robust covariance estimation, 421–422
 - nonstationary data, 445–446, 1051–1052
 - overview, 373–374
 - parameter heterogeneity, 450–459
 - pooled regression model. *See* pooled regression model
 - random coefficients model, 450–453
 - random effects model, 376–377, 404–421. *See also* random effects model
 - sample selection, 961
 - spatial autocorrelation, 422–427
 - spatial correlation, 422–427
 - studies, 374
 - well-behaved panel data, 382–383

- modified zero-order regression, 99
 - Moffitt, R., 782, 802, 820, 822, 934, 945, 965
 - Mohanty, M., 958
 - moment
 - censored normal variable, 933–934
 - central, 492
 - conditional moment tests, 948
 - derivatives of log-likelihood, 543
 - incidentally truncated distribution, 950
 - method of moments. *See* method of moments
 - moment equations, 278
 - population moment equation, 514
 - truncated distributions, 920–922
 - moment equations, 251, 491
 - moment matrix, 39
 - moment-free LIML estimator, 281
 - Mona Lisa (da Vinci)*, 114
 - money demand equation, 981–982
 - Monfort, A., 139n9, 140n12, 570n19, 595, 597, 667n21, 670, 1018n45
 - Monte Carlo integration, 662–672
 - Monte Carlo studies, 653–660
 - incidental parameters problem, 656–660
 - least squares vs. LAD, 68–70
 - mean vs. median, 654–655
 - test statistic, 655–656
 - Moon, H., 446
 - Moran, P., 423
 - Moro, D., 330n3
 - Moscone, F., 426
 - Moshino, G., 330n3
 - Mouchart, M., 966n49
 - Moulton, B., 386
 - Moulton, R., 386
 - Mount, T., 411n21
 - mover-stayer model for migration, 957
 - movie box office receipts, 158
 - movie ratings, 867–869
 - movie success, 97–98
 - moving-average form, 989
 - moving-average processes, 988
 - MPC, 137–138, 703
 - Mroz, T., 122, 773, 956
 - MSL. *See* maximum simulated likelihood (MSL)
 - Muelbauer, J., 342n16
 - Mullahy, J., 477n8, 895n58, 905, 907
 - Mullainatha, S., 387
 - Muller, M., 645
 - multicollinearity, 54, 93–97
 - multinomial choice, 726, 826–915
 - aggregated market share data, 863–865
 - alternative choice models, 835–844
 - BLP random parameters model, 863–865
 - conditional logit model, 833–834
 - generalized mixed logit model, 846–847
 - IIA assumption, 834–835
 - mixed logit model, 845–846
 - multinomial logit model, 829–831
 - multinomial probit model, 835–837
 - nested logit model, 837–839, 858–859
 - panel data, 856–857
 - random effects, 858–859
 - stated choice experiments, 856–857
 - studies, 827
 - travel mode choice, 839–845
 - willingness to pay (WTP), 853–855
 - multinomial logit model, 828–831
 - fixed effects, 859–860
 - random utility basis, 827–829
 - multinomial probit model, 835–837
 - multiple equations models. *See* systems of equations
 - multiple equations regression model, 327
 - multiple imputation, 100–101
 - multiple linear regression model, 13. *See also* linear regression model
 - multiple regression, 32
 - multiplicative heteroscedasticity, 315–317, 586–587, 946–947
 - multivariate normal population, 646–647
 - multivariate normal probability, 666–668
 - multivariate probit model, 819–822
 - multivariate *t* distribution, 700
 - Mundlak, Y., 388, 404n16, 415, 418, 792
 - Mundlak's approach, 400, 415–416, 450, 792
 - Munell's production model for gross state product, 452
 - Munkin, M., 472
 - Munnell, A., 326, 336, 402, 610
 - Murdoch, J., 680
 - Murphy, K., 564, 565, 775, 940, 954n40
 - Murray, C., 194
- N**
- Nagin, D., 691n29, 764n38
 - Nair-Reichert, U., 326, 459
 - Nakamura, A., 934n23
 - Nakamura, M., 934n23
 - Nakosteen, R., 730, 957
 - National Institute of Standards and Technology (NIST), 240
 - National Longitudinal Survey of Labor Market Experience (NLS), 374
 - natural experiment, 169–170
 - natural experiments literature, 294
 - NB1 form, 891
 - NB2 form, 891
 - NBP model, 891
 - Ndebele, T., 851
 - nearest neighbor, 236
 - negative autocorrelation (Phillips curve), 983–984
 - negative binomial distribution, 890

1116 Index

- negative binomial model, 472, 889
- negative binomial regression model, 889–890
- negative duration dependence, 969
- Negbin 1 (NB1) form, 891
- Negbin 2 (NB2) form, 891
- Negbin P (NBP) model, 891
- neighborhood, 236
- Nelson, C., 333n9, 733n9, 1027n5, 1028n6
- Nelson, F., 934n23, 945
- Nelson, R., 227n16
- Nerlove, M., 187, 188, 235, 340, 374n2, 411n21, 455, 456, 456n47, 524n18, 829n1, 1002n18
- nested logit model, 837–839
- nested models, 115, 138–141
- nested random effects, 609–612
- Netflix, 865
- netting out, 37
- Neumann, G., 944n26
- Newbold, P., 1026, 1027
- Newey, W., 483, 487n14, 501n4, 506, 512, 513n14, 530n24, 552, 620n46, 774, 787n56, 793, 858n12, 944n26, 949n31, 999
- Newey–West autocorrelation consistent covariance estimator, 999
- Newey–West autocorrelation robust covariance matrix, 999
- Newey–West estimator, 510
- Newey–West robust covariance estimator, 390, 404
- Newton’s method, 224, 587, 597
- Neyman, J., 395n12, 620n47, 658n11, 786, 787n57, 948
- Neyman–Pearson method, 116
- Nicholson, S., 293
- Nickell, S., 412n22, 524n17
- Nijman, T., 378, 801, 961, 963
- NIST, 240
- NMAR. *See* not missing at random (NMAR)
- Nobel Prize, 2
- nominal size, 142
- nonautocorrelated disturbances, 23–24
- nonautocorrelation, 22, 24
- noncentral chi-squared distribution, 555n12
- noninformative prior, 698
- nonlinear consumption function, 213–214
- nonlinear cost function, 187–188
- nonlinear instrumental variable estimator, 520
- nonlinear instrumental variables estimation, 288–291
- nonlinear least squares, 205–207, 222–224, 593
- nonlinear least squares criterion function, 208
- nonlinear least squares estimator, 205–207, 222–224
- nonlinear model with random effects, 661–662
- nonlinear panel data regression model, 446–450
- nonlinear random parameter models, 680–681
- nonlinear regression model, 203–225
 - applications, 213–222
 - assumptions, 203–205
 - asymptotic normality, 209
 - Box-Cox transformation, 214–216
 - consistency, 208
 - defined, 207
 - F* statistic, 211
 - first-order conditions, 206
 - general form, 203
 - hypothesis testing/parametric restrictions, 211–212
 - interaction effects (loglinear model for income), 216–220
 - Lagrange multiplier statistic, 212
 - nonlinear consumption function, 213–214
 - nonlinear least squares, 224
 - nonlinear least squares estimator, 205–207, 222–224
 - Wald statistic, 212
- nonlinear restrictions, 136–138, 191
- nonlinear systems, 350n23
- nonlinearity, 187–188
- nonnested models, 562
- nonnormality, 947–948
- nonparametric average cost function, 237–238
- nonparametric bootstrap, 651
- nonparametric estimation, 478–481
- nonparametric regression, 235–238
- nonrandom sampling, 244
- nonresponse (GSOEP sample), 802–804
- nonresponse bias, 801
- nonsample information, 354
- nonspherical disturbances and robust covariance estimation, 421–422
- nonstationary data, 1022–1053
 - ARIMA model, 1023
 - bounds test, 1044
 - cointegration. *See* cointegration
 - Dickey–Fuller tests, 1029–1038
 - integrated process and differencing, 1023–1026
 - KPSS test of stationarity, 1038–1039
 - lag and difference operators, 1022–1023
 - panel data, 445–446, 1051–1052
 - random walk, 1027
 - trend stationary process, 1026
 - unit root. *See* unit root
- nonstationary panel data, 445–446, 1051–1052
- nonstationary series, 1023–1026
- nonstochastic regressor, 25
- nontested models, 115, 138–141
- nonzero conditional mean of the disturbances, 22–23
- normal distribution, 541
- normal equations, 35
- normal-gamma prior, 702, 714
- normality, 25–26
- normalization, 350, 539
- normally distributed, 25
- not missing at random (NMAR), 99
- notational conventions, 10–11, 18
- null hypothesis, 114–115
- numerical examples, 9–10

O

Oakes, D., 969n54
 Oaxaca and Blinder decomposition, 83–84
 Oberhofer, W., 318n16, 586, 600, 601, 603
 Oberhofer-Kmenta conditions, 600, 601
 Obstfeld, M., 501n4
 Ohtani, K., 194
 OLS, 280, 406, 418
 OLS estimator, 281
 Olsen, R., 549, 936
 Olsen's reparameterization, 936
 omitted parameter heterogeneity, 244
 omitted variable, 242, 763
 omitted variable bias, 59–61, 242
 omitted variable formula, 59
 one-sided test, 122
 OPG, 550
 optimal linear predictor, 56
 optimal weighting matrix, 497
 optimization conditions, 327
 Orcutt, G., 937n25, 1004
 Ord, S., 138n8, 493n2, 542n4–5, 545
 order condition, 356, 508
 ordered choice, 826
 ordered choice models, 726, 827, 865–884
 anchoring vignettes, 883–884
 bivariate ordered probit models, 873, 874
 extensions of the ordered probit model, 881–884
 generalized ordered choice models, 881–883
 ordered probit model, 869–870
 ordered probit models with fixed effects, 876–877
 ordered probit models with random effects, 877
 parallel regression assumption, 872
 specification test, 872–873
 threshold models, 881–883
 thresholds and heterogeneity, 883–884
 ordinary least squares (OLS), 406, 418
 Orea, C., 625
 Orme, C., 1016n38
 orthogonal partitioned regression, 36
 orthogonal regression, 38
 orthogonality condition, 206, 207, 277, 519
 Osterwald-Lenum, M., 1048
 Otter, T., 854
 outer product of gradients (OPG), 550
 outliers, 105–106
 overdispersion, 888–889
 overdispersion parameter, 472
 overidentification, 277–279
 overidentification of labor supply equation, 279
 overidentified, 191, 515, 518
 overidentified cases, 498
 overidentifying restrictions, 211, 511–512
 overview of book. *See* textbook

P

Pagan, A., 315, 335, 382, 410, 450n41, 478n9, 480, 486, 501n4, 601, 607, 687n27, 944, 944n26
 paired bootstrap, 651
 Pakes, A., 641, 820n76, 863
 Panattoni, L., 1012n29
 panel data binary choice models, 790, 791
 panel data random effects estimator, 793–794
 panel data sets. *See* models for panel data
 Papke, L., 450
 Pappell, D., 445
 paradigm econometrics, 1–3
 parameter heterogeneity, 401–404, 450–459, 799–801.
 See also random parameter models
 parameter space, 115, 467, 483, 552
 parametric bootstrap, 651
 parametric estimation and inference, 467–472
 parametric hazard function, 970
 Parsa, R., 469
 partial correlation coefficient, 39
 partial correlations, 41
 partial differences, 1003
 partial effects, 375, 449, 811–812
 partial fixed effects model, 459
 partial likelihood estimator, 974
 partial regression, 35–38
 partial regression coefficients, 37
 partialing out, 37
 partially censored distribution, 932
 partially linear regression, 234–235
 partially linear translog cost function, 235
 participation equation, 939
 partitioned regression, 35–38
 Passmore, W., 454, 496
 path diagram, 12
 Patterson, K., 466n3
 Pedroni, P., 445, 1051n20, 1052n22
 Peel, D., 625, 628, 629n49
 Penn World Tables, 373, 445, 456, 457
 percentile method, 652
 perfect multicollinearity, 162
 period, 644
 Perron, P., 1036
 persistence, 794
Persistence of Memory (Dali), 114
 personalized system of instruction (PSI), 623, 737–739
 Pesaran, H., 139n9, 140n14, 374n2, 1044, 1051n19, 1052
 Pesaran, M., 139n10, 244, 326, 445, 455, 456, 459
 Petersen, D., 945
 Petersen, T., 967n50
 Phillips, A., 983
 Phillips, G., 330n3
 Phillips, P., 359n25, 446, 1026, 1026n3, 1027, 1036, 1046
 Phillips curve, 983–984
 Phillips-Perron test, 1037

1118 Index

- piecewise linear regression, 177
- Pike, M., 788n58
- placebo effect, 168
- plan of the book, 8–9
- Ploberger, W., 687n27
- Plosser, C., 1028n6
- point estimation, 54, 703–704
- Poirier, D., 466n2, 664n17, 694n2, 958n46
- Poisson distribution, 646
- Poisson regression model, 885–887
- Poisson regression model with random effects, 672
- Polachek, S., 199
- Pollard, D., 820n76
- pooled estimator, 898–900
- pooled model, 336–339
- pooled regression model, 383–393
 - between-groups estimators, 390–393
 - binary choice, 781–782
 - bootstrapping, 384–386
 - clustering and stratification, 386–388
 - estimation with first differences, 389–390
 - event counts, 898–900
 - least squares estimation, 383
 - robust covariance matrix estimation, 384–386
 - robust estimation using group means, 388–389
 - within-groups estimators, 390–393
- pooling regressions, 195–197
- population moment equation, 514
- population orthogonality conditions, 55–56
- population quantity, 29
- population regression, 28
- population regression equation, 13
- positive definite matrix, 297
- positive duration dependence, 969
- posterior density, 695–697
- posterior density function, 703
- posterior mean, 707
- potential outcomes model, 16
- Potter, S., 146
- Powell, J., 227n16, 232n22, 476, 949n31
- Powell's censored LAD estimator, 476
- power of the test, 116, 655
- practice of econometrics, 3–4
- Prais, S., 1004, 1005
- Prais and Winsten estimator, 1005
- precision matrix, 706
- precision parameter, 549
- predetermined variable, 351
- predicting movie success, 97–98
- prediction, 86–93
- prediction criterion, 47, 144
- prediction error, 86
- prediction interval, 86–87
- prediction variance, 86
- predictive density, 706
- Prentice, R., 947, 966n49, 969n54, 970n55, 971
- Press, S., 829n1
- Press, W., 644n2, 647
- principal components, 97–98
- principle of maximum likelihood, 539–541
- prior
 - conjugate, 700
 - hierarchical, 714
 - improper, 714
 - informative, 698
 - noninformative, 698
 - normal-gamma, 702, 714
 - uniform, 714
 - uniform-inverse gamma, 713
- prior beliefs, 695
- prior distribution, 698
- prior odds ratio, 705
- prior probabilities, 705
- private capital coefficient, 684–685
- probability limits, 65, 490
- probability model, 737–739
- probit model, 475, 482, 732
 - basic form, 732
 - bivariate, 807–819
 - bivariate ordered, 873, 874
 - Gibbs sampler, 712
 - multinomial, 835–837
 - multivariate, 819–822
 - prediction, 760
 - robust covariance matrix estimation, 745
- problem of endogeneity, 247
- problem of identification, 349, 353–357
- PROC MIXED package, 681
- product copula, 471
- product innovation, 820–822
- product limit estimator, 973
- production function, 130–133
- production function model, 677–678
- profit maximization, 339
- projection, 33–35, 418
- projection matrix, 34
- proportional hazard model, 974, 975
- proxy variables, 244, 285–288
- Prucha, I., 425
- pseudo differences, 1003
- pseudo-log-likelihood function, 613
- pseudo maximum likelihood estimator, 676
- pseudo-MLE, 575, 1018–1019
- pseudo R^2 , 561
- pseudo-random number generator, 643–644
- pseudoregressors, 205, 207
- PSI, 623, 737–739
- PSID, 374

public capital, 336–339
 Pudney, S., 868
 pure space recursive model, 424
 Puterman, M., 691n29

Q

Q test, 1001, 1002
 QMLE, 744, 745
 QR model, 727
 quadratic regression, 184
 quadrature
 bivariate normal probabilities, 666
 Gauss-Hermite, 615, 616
 MLE, 613–617
 qualification indices, 198
 qualitative response (QR) model, 727
 Quandt, R., 492, 503n7
 quantile regression, 227, 475
 quantile regression model, 228–230
 quasi differences, 1003
 quasi-maximum likelihood estimator (QMLE), 744, 745
 Quester, A., 931, 937

R

R^2 , 44–47, 143
 Raftery, A., 146n19
 Raj, B., 374n2, 650n7
 Ramaswamy, V., 625, 691n29
 Ramsey, J., 492, 503n7
 Ramsey's RESET test, 141–142
 random coefficients, 845
 random coefficients model, 450–453
 random draws, 664–666
 random effects geometric regression model, 617
 random effects in nonlinear model, 661–662
 random effects linear regression model, 672
 random effects model, 376–377, 404–421
 binary choice, 782–785
 error components model, 405
 event models, 902–904
 FGLS, 408–410
 fixed vs., 416
 generalized least squares, 407–408
 Hausman specification test, 414–415
 heteroscedasticity, 421–422
 least squares estimation, 405–406
 Mundlak's approach, 415–416
 nonlinear regression, 449–450
 robust inference, 409–410
 simulation-based estimation, 668–672
 testing for random effects, 410–413
 random effects negative binomial (RENB) model, 903

random number generation, 643–647
 random parameter models, 373, 377, 673–678
 Bayesian estimation, 715–721
 discrete distributions, 689
 hierarchical linear models, 678–680
 individual parameter estimates, 681–688
 latent class models, 688–691
 linear regression model, 673–678
 nonlinear models, 680–681
 random parameters logit (RPL) model, 845–846
 random parameters wage equation, 675
 random sample, 17, 490
 random utility, 3, 725, 729
 random utility models, 729–730
 random walk, 994, 1027
 random walk with drift, 1023, 1026
 rank condition, 356, 508
 Rao, A., 457n48
 Rao, C., 548, 620n45
 Rao, P., 310, 1005
 Rasch, G., 787
 rating assignments, 870–872
 rating schemes, 866
 Raymond, J., 244
 real estate sales, 424–426
 recursive model, 351, 816
 reduced form, 349, 351
 reduced form equation, 258, 285
 reduced-form disturbances, 352
 regional production model (public capital), 336–339
 regressand, 13
 regression, 17. *See also* regression modeling
 bivariate, 32
 difference in differences, 167–175
 heteroscedastic, 310, 312
 instrumental variable, and, 255–256
 intrinsically linear, 189
 kitchen sink, 143
 linearly transformed, 48
 modified zero-order, 99
 multiple, 32
 nonparametric, 235–238
 orthogonal, 38
 orthogonal partitioned, 36
 partially linear, 234–235
 partitioned, 35–38
 piecewise linear, 177
 pooled, 376
 population, 28
 regression equation systems, 600–604
 regression function, 13
 regression modeling, 9
 analysis of variance, 41–44
 censored regression model, 933–936
 functional form. *See* functional form

1120 Index

regression modeling (*continued*)
 goodness of fit, 41–44
 heteroscedastic regression model, 310
 hypothesis testing. *See* hypothesis testing and model selection
 latent regression model, 730–731
 least squares regression, 28–35
 linear regression model. *See* linear regression model
 linearly transformed regression, 48
 nonlinear regression model. *See* nonlinear regression model
 partially linear regression, 234–235
 pooled regression model. *See* pooled regression model
 quantile regression model, 228–230
 structural change, 191–197
 SUR model. *See* seemingly unrelated regression (SUR) model
 truncated regression model, 922–924
 regression with a constant term, 38
 regressor, 13
 regular densities, 543–544
 regularity conditions, 542–543
 rejection region, 116
 RENB model, 903
 Renfro, C., 1010n26, 1012n29, 1018n47
 reservation wage, 3
 RESET test, 142–143
 residual, 28
 residual correlation, 388
 residual maker, 34
 response, 167
 restricted investment equation, 124–126
 restricted least squares estimator, 126–127
 restrictions, 354
 returns to schooling, 432
 Revankar, N., 228, 239
 revealed preference data, 858
 Revelt, D., 845
 reverse regression, 198, 199
 Rice, N., 245, 751n26, 801, 868, 965
 Rich, R., 5, 1030, 1034
 Richard, J., 139n11, 140n12, 1048, 1050
 Ridder, G., 524n17, 963
 Rilstone, P., 97n13
 Riphahn, R., 4, 216, 375n3, 446, 567, 593, 597, 745, 748, 772, 801, 876n37, 890n55, 892, 903, 910, 913
 risk set, 974
 Rivers, D., 944n26
 Robb, L., 344n20, 648, 749
 Roberts, H., 198
 Robertson, D., 455, 456
 Robins, J., 965
 Robins, R., 1010n24, 1012

Robinson, C., 730n4
 Robinson, P., 947n30
 robust covariance matrix
 for b_{LSDV} , 396–397
 for nonlinear least squares, 446–447
 robust covariance matrix estimation, 384–386, 744–746
 robust estimation, 312, 314
 robust estimator (wage equation), 389
 robust standard errors, 429
 robustness to unknown heteroscedasticity, 312
 Rodriguez-Poo, J., 730n4, 744n21
 Rogers, W., 68, 227
 root mean squared error, 92
 Rose, A., 445
 Rose, J., 827, 846n12, 851n17
 Rosen, H., 530n24
 Rosen, S., 728n3, 730n4
 Rosenblatt, D., 480
 Rosett, R., 934n23
 Rossi, P., 694n2, 827
 rotating panel, 374
 Rothenberg, T., 1037
 Rothschild, M., 1010n26
 Rothstein, J., 255
 Rotnitzky, A., 965
 Rowe, B., 816n73
 Roy's identity, 205
 RPL model, 845–846
 RPL procedure, 681
 RPM procedure, 681
 Rubin, D., 99, 100, 694n2, 717, 730n4, 897n60
 Rubin, H., 359n26, 1028
 Runkle, D., 667n21, 961
 Rupert, P., 258, 385
 Russell, C., 244
 Ruud, P., 466n3, 501n4, 667, 744, 766n42, 944n26, 995n11

S

Sala-i-Martin, X., 146, 147, 147n20, 445, 1051n19
 sample information, 467
 sample selection, 918, 949–985
 attrition, 964–965
 bivariate distribution, 949–950
 common effects, 961–964
 labor supply, 950–953
 maximum likelihood estimation, 953–956
 nonlinear models, 957–958
 panel data applications, 961
 regression, 950
 time until retirement, 976
 two-step estimation, 953–956
 sample selection bias, 245, 801
 sampling

- continuous distributions, 645–646
- discrete populations, 646–647
- multivariate normal population, 646
- standard uniform population, 644
- sampling distribution (least squares estimator), 58–59
- sampling theory estimator, 704
- sampling variance, 62
- sandwich estimator, 744
- Sargan, J., 413n23, 427
- Savin, E., 330n3, 560n14
- Savin, N., 1028n8
- Saxonhouse, G., 453n46
- scaled log-likelihood function, 501
- Scarpa, R., 851n17, 854
- Schimek, M., 236n28
- Schipp, B., 330n3
- Schmidt, P., 130n4, 162, 193, 330n3, 393n8, 418n29, 438n36, 524n18, 527n21, 530n25, 531, 827, 829, 918n1, 924–926, 928n17, 938, 945
- Schnier, K., 422, 423
- Schur product, 674
- Schurer, S., 374
- Schwarz criterion, 144
- Schwert, W., 1013n31, 1036
- score test, 557
- score vector, 545
- Scott, E., 395n12, 620n47, 658n11, 771, 786, 787n57, 948
- Seaks, T., 127n3, 157n1, 214n8
- season of birth, 294
- seed, 644
- seemingly unrelated regression (SUR) model, 332–334
 - assumption, 329
 - basic form, 328
 - dynamic SUR model, 330n3
 - FGLS, 333–334
 - GMM estimation, 514
 - identical regressors, 326
 - pooled model, 336–339
 - specification test, 326
 - testing hypothesis, 334–335
- Selden, T., 445, 1051n21
- selection bias, 959
- selection methods. *See* sample selection
- selection on unobservables, 801
- selectivity effect, 286
- self-reported data, 99
- self-selected data, 99
- semilog equation, 154, 184
- semilog market, 19
- semiparametric, 63, 204
- semiparametric estimation, 472–477
- semiparametric estimators, 948
- semiparametric models of heterogeneity, 797–798
- Sepanski, J., 796n64
- serial correlation, 981–1021
 - analysis of time-series data, 984–987
 - ARCH model, 1010–1014
 - AR(1) disturbance, 989–990, 1004–1005
 - asymptotic results, 990–996
 - autocorrelation. *See* autocorrelation
 - Box–Pierce test, 1000–1001
 - central limit theorem, 994–996
 - convergence of moments, 991–994
 - convergence to normality, 994–996
 - disturbance processes, 987–990
 - Durbin–Watson test, 1001–1002
 - ergodicity, 992, 993
 - estimation when Ω known, 1003–1004
 - estimation when Ω unknown, 1004–1010
 - GARCH model, 1013–1017
 - GMM estimation, 999–1000
 - lagged dependent variable, 1007–1009
 - least squares estimation, 996–999
 - LM test, 1000–1002
 - Q test, 1001, 1002
- Sevestre, P., 374n2
- share equations, 344
- Shaw, D., 894, 895n58, 919n3
- Shea, J., 280
- Shephard, R., 342
- Shephard's lemma, 342
- Sherlund, S., 454
- Shields, M., 876n38
- Shin, Y., 445, 456, 1044, 1051n19, 1052
- short rank, 20–21
- shuffling, 644
- sibling studies, 287
- Sickles, R., 162, 193, 796n64, 928
- significance of the regression, 129
- significance test, 120
- Silver, J., 339n13
- Silverman's rule of thumb, 237
- “Simple Message to Autocorrelation Correctors: Don't, A” (Mizon), 984n3
- simple-to-general approach to model building, 143–147
- simulated log likelihood function, 668
- simulation, 641
- simulation-based estimation, 641–693
 - bootstrapping, 650–653
 - functions, 641
 - GHK simulator, 666–668
 - Halton sequences, 664–666
 - Krinsky and Robb technique, 647–650
 - Monte Carlo integration, 662–672
 - Monte Carlo studies, 653–660
 - MSL. *See* maximum simulated likelihood (MSL)
 - overview, 642–645
 - random draws, 664–666
 - random effects in nonlinear model, 661–662
 - random effects model, 668–672
 - random number generation, 643–647

1122 Index

- simulation-based statistical inference, 647–650
- simultaneous equations bias, 243, 349n22
- simultaneous equations models, 346–365
 - complete system of equations, 348
 - GMM estimation, 514
 - Klein's model I, 364–366
 - LIML estimator, 359
 - matrix form, 350
 - MLE, 604–605
 - problem of identification, 353–357
 - single equation estimation and inference, 358–361
 - structural form of model, 350
 - system methods of estimation, 362–365
 - systems of equations, 347–353
 - 3SLS, 363, 364
 - 2SLS estimator, 359
- Singer, B., 628, 633, 791, 797, 966n49, 976
- single index function, 449
- singularity of the disturbance covariance matrix, 344
- Siow, A., 705n14, 706
- SIPP data, 378
- size of the test, 116, 655
- Sklar, A., 470
- Sklar's theorem, 470
- Slutsky theorem, 79, 283, 490, 504, 996
- smearing, 249
- smearing estimator, 88
- Smith, M., 470, 956n43
- Smith, R., 244, 326, 445, 446, 455, 456, 459, 1052
- smoothing functions, 236
- smoothing techniques, 236
- Snow, J., 254
- sociodemographic differences, 426
- software and replication, 10
- Solow, R., 201, 342
- Song, S., 609n36
- Sonnier, G., 854
- Spady, R., 477
- spatial autocorrelation, 422–427
- spatial autoregression coefficient, 423
- spatial correlation, 422–427
- spatial error correlation, 426
- spatial lags, 426–427
- specification analysis
 - choice-based sampling, 768–769
 - distributional assumptions, 766–768
 - eteroscedasticity, 764–766
 - omitted variables, 763
- specification error, 952
- specification test, 113, 275
 - Hausman, 276–277, 414–415, 432
 - hypothesis testing, 141–143
 - moment restrictions, 511
 - overidentification, 277–279
 - Wu, 276–277
- specificity, 655
- Spector, L., 623, 712, 737
- Spector, T., 244
- Srivastava, K., 333
- Staiger, D., 227, 280, 280n19, 280n21
- Stambaugh, R., 1013n31
- standard error, 62
- standard error of the regression, 62
- standard uniform population, 644
- starting values, 224
- state dependence, 794
- state effect, 386
- stated choice data, 858
- stated choice experiment, 857
 - preference for electricity supplier, 860–863
- statewide productivity, 610–612
- stationarity, 987
 - ergodic, 552
 - KPSS test, 1038–1039
 - strong, 992
 - weak, 992
- statistical properties, 54, 57–63
- statistically independent, 25
- statistically significant, 121
- statistics. *See* estimation and inference
- Stegun, I., 495n3, 616, 645
- Stengos, R., 811n72
- Stengos, T., 811n71, 811n72
- stepwise model building, 143
- Stern, H., 694n2, 717
- Stern, S., 97n13, 667n21
- Stewart, M., 794n63
- stochastic elements, 7
- stochastic frontier model, 468–469, 663, 924–928
- stochastic volatility, 1011
- Stock, J., 146, 227, 280n19, 280n21, 1037, 1043, 1045
- stratification, 386–388
- Strauss, J., 445
- Strauss, R., 827, 829
- streams as instruments, 253–254
- Street, A., 194n23, 392
- strict exogeneity, 17, 376
- strike duration, 975–976
- strong stationarity, 992
- structural change, 191–197
 - Chow test, 191n21, 193
 - different parameter vectors, 191–193
 - example (gasoline market), 192–193
 - example (*World Health Report*), 194–195
 - pooling regressions, 195–197
 - robust tests of structural break with unequal variances, 192
 - unequal variances, 193
- structural disturbances, 350
- structural equation, 348

structural equation system, 258
 structural form, 350
 structural form of model, 350
 structural model, 285
 structural specification, 245
 Stuart, A., 138n8, 493n2, 542n4, 542n5, 545
 study of twins, 287
 subjective well-being (SWB), 877
 sufficient statistics, 493
 Suits, D., 157n1
 summability, 995
 superconsistent, 1046
 SUR model. *See* seemingly unrelated regression (SUR) model
 Survey of Income and Program Participation (SIPP)
 data, 378
 survey questions, 866, 883
 survival distribution, 969
 survival function, 967, 969
 survival models (strike duration), 975–976
 survivorship bias, 245
 Susin, S., 974
 Swamy, P., 450n41, 452n44
 Swamy estimator, 459
 SWB, 877
 Swidinsky, R., 811n71, 811n72
 Swiss railroads, 928–930
 Symmetry restrictions, 339n13
 Symons, J., 455, 456
 system methods of estimation, 362–365
 systems of demand equations, 339–346
 systems of equations, 345–347
 complete system of equations, 348
 flexible functional forms, 342–346
 Klein's model I, 364–366
 LIML estimator, 359
 problem of identification, 353–357
 simultaneous equations models. *See* simultaneous equations models
 SUR model. *See* seemingly unrelated regression (SUR) model
 3SLS, 363, 364
 translog cost function, 342–346
 2SLS estimator, 359
 systems of regression equations, 327–372
 overview, 328
 pooled model, 336–339

T

t ratio, 121
 Tahmiscioglu, A., 456
 Tandon, A., 194
 Taubman, P., 287
 Tauchen, H., 784

Tavlas, G., 450n41
 Taylor, L., 226n15
 Taylor, W., 276, 310, 414n24, 427, 429, 430, 432, 443, 527n21
 Taylor series, 343, 495
 television and autism, 292–294
 Tennessee STAR experiment, 167
 Terza, J., 890n54, 896n59, 903, 955, 958, 959, 961
 test statistic, 655–656
 testable implications, 115
 testing hypothesis. *See* hypothesis testing and model selection
 tetrachoric correlation, 810
 Teukolsky, S., 644n2, 647
 textbook
 notational conventions, 10–11
 numerical examples, 9–10
 overview/plan, 8–9
 software and replication, 10
 Thayer, M., 680
 Theil, H., 92n9, 93n10, 284n25, 363, 702n10
 Theil U statistic, 93
 theorem
 Bernstein-von Mises, 707
 ergodic, 993
 Frisch–Waugh–Lovell, 66
 Gauss–Markov, 62
 Gordin's central limit, 996
 Granger representation, 1044n14
 inverse of moment matrix, 39
 likelihood inequality, 546
 minimum mean squared error predictor, 57
 orthogonal partitioned regression, 36
 orthogonal regression, 38
 sum of squares, 40
 transformed variable, 49
 theoretical econometrics, 3
 Thiene, M., 851n17, 854
 three-stage least squares (3SLS) estimator, 363, 364, 604
 threshold effects/categorical variables, 163–164
 Thursby, J., 344n20
 Tibshirani, R., 650n6, 652
 time effects, 398–399
 time invariant, 385, 396
 time-series cross-sectional data, 374
 time-series data, 297
 time-series modeling. *See* macroeconometric methods
 time-series panel data literature, 1051
 time-series process, 985
 time space dynamic model, 424
 time space recursive model, 424
 time-space simultaneous model, 424
 time until retirement, 976
 time-varying covariate, 967

1124 Index

time window, 985
Tobias, J., 150, 200, 685, 694n2
Tobin, J., 931, 933
tobit model, 477, 933–936, 939
Tomes, N., 730n4
Topel, R., 564, 565, 775, 940, 954n40
Tosetti, E., 426
total variation, 41
Toyoda, T., 193
TRACE test, 1048
Train, K., 641, 662n16, 664n17, 707, 716, 728n3, 827, 845, 846, 854
transcendental logarithmic (translog)
 function, 343
transformed variable, 49
transition tables, 164–166
translog cost function, 151, 342–346
translog demand system, 204–206
translog function, 343
translog model, 19–20
treatment, 16, 167
treatment effects, 167–175, 390
treatment group, 168
trend stationary process, 1026
triangular system, 350
trigamma function, 495n3
Trivedi, P., 8n5, 101n18, 291n31, 380, 387, 469–472, 474, 562n15, 569n18, 575n21, 632, 650, 652, 658, 662n16, 694n2, 707, 714n18, 728, 890n55, 891, 893, 901, 956n43, 966n49
Trognon, A., 140n12, 570n19, 595, 597, 1018n45
truncated distribution, 919
truncated lognormal income distribution, 921–922
truncated mean, 921
truncated normal distribution, 663–664, 919, 921
truncated random variable, 919
truncated regression model, 922–924
truncated standard normal distribution, 919
truncated uniform distribution, 920–921
truncated variance, 921
truncation, 918–930
 event counts, 894–896
 incidental. *See* sample selection
 moments, 920–922
 stochastic frontier model, 924–928
 truncated distribution, 919
 truncated regression model, 922–924
 when it arises, 918
truncation bias, 245
Tsay, R., 4, 1022
Tunali, I., 730n4
twin studies, 287
twins festivals, 287
two-part models, 905–906, 938–942
two-stage least squares (2SLS), 257–259

two-stage least squares (2SLS) estimator, 349, 359
two-step estimation, 953–956
two-step MLE, 564–569
two-way fixed effects model, 461
two-way random effects model, 462
Type I error, 655
Type II error, 655
Type II tobit model, 939

U

Uhler, R., 757n29
Ullah, A., 478n9, 480, 486, 1013n33
unbalanced panels, 377–382, 399
unbalanced sample, 759
unbiased estimation, 59
unbiasedness, 481
uncentered moment, 490
uncorrelatedness, 24, 205
underidentified, 515
uniform-inverse gamma prior, 713
uniform prior, 714
unit root, 1027
 economic data, 1028–1029
 example (testing for unit roots), 1030–1037
 GDP, 1037–1038
unlabeled choice, 861
unobserved effects model, 415–416
unobserved heterogeneity, 161
unordered choice models. *See* multinomial choice
U.S. gasoline market, 19
U.S. manufacturing, 344
utility maximization, 2

V

vacation expenditures, 476–477
van Praag, B., 779, 958
van Soest, A., 227n16, 476, 876, 931, 938, 944n26, 947
variable
 censored, 931
 dependent, 13
 dummy. *See* binary variable
 endogenous, 348, 349
 exogenous, 348, 349
 explained, 13
 identical explanatory, 333
 independent, 13
 latent, 933
 omitted, 59–61, 242
 predetermined, 351
 proxy, 244, 285–288
variable addition test, 276, 416
variance, 23

asymptotic, 548
 conditional, 307
 least squares estimator, 61–62
 prediction, 86
 sampling, 61
 variance decomposition formula, 24
 variance inflation factor, 95
 Veall, M., 650n7, 757n29
 vector autoregression models, 327, 533
 Vella, F., 501n4, 794n63, 944n26, 947n29, 949n31, 962, 963
 Verbeek, M., 378, 794n63, 801, 802, 961, 962n47, 963
 Vetterling, W., 644n2, 647
 Vilcassim, N., 845
 Vinod, H., 224n13, 650n7
 Volinsky, C., 146n19
 Volker, P., 141n15
 Vuong, Q., 562, 906, 944n26
 Vuong's test, 145, 562–563
 Vytlačil, E., 291n32

W

wage data panel, 685
 wage determination, 326
 wage equation, 385–386, 389, 397–398, 608–, 675
 Wald, A., 991, 1028
 Wald criterion, 123
 Wald distance, 120
 Wald statistic, 135, 193, 212, 332, 512, 513
 Wald test, 120–126, 193, 211
 Waldman, D., 314, 945
 Waldman, M., 293
 Walker, J., 947n30, 949n31
 Wallace, T., 409n18
 Wallis, K., 1002n18
 Wambach, A., 10, 216, 375n3, 446, 567, 593, 597, 745, 748, 772, 801, 890n54, 910
 Wang, P., 691n29
 Wansbeek, T., 354, 524n17
 Wasi, N., 847n13, 849
 Waterman, R., 901n62
 Watson, G., 1001n17
 Watson, M., 146, 227, 1040n12, 1043
 Waugh, F., 37
 weak instruments, 279–281
 weak stationarity, 992
 weakly stationary, 985
 Wedel, M., 625, 691n29
 Weeks, M., 139n9, 140n14, 854
 Weibull model, 971
 Weibull survival model, 973
 weighted endogenous sampling maximum likelihood (WESML) estimator, 768, 769, 779
 weighted least squares, 503

weighting matrix, 307, 497, 503n9, 518
 Weinhold, D., 326, 459
 well-behaved data, 65
 well-behaved panel data, 382–383
 Welsh, R., 95, 104, 105n19
 Wertheimer, R., 937n25
 WESML estimator, 768, 769, 779
 West, K., 512, 526n20, 999
 White, H., 74, 135n7, 139n9, 299n2, 314, 350n23, 506, 570n19, 744, 993n8, 995n11, 997, 1018n44
 White, S., 227n16
 white noise, 987
 White's test, 315
 Wichern, D., 335n12
 Wickens, M., 286, 501n4
 Wildman, B., 194n23
 Williams, J., 293
 willingness to pay (WTP), 853–855
 willingness to pay for renewable energy, 855–856
 willingness to pay space, 854
 Willis, J., 791
 Willis, R., 730n4
 Winkelmann, R., 866n27, 890n54, 892
 Winsten, C., 1004, 1005
 Wise, D., 764n38, 836, 924, 961, 964, 965
 Wishart density, 716
 within-groups estimators, 390–393
 Witte, A., 784, 931
 Wood, D., 344, 345n21
 Wooldridge, J., 22, 258, 350n23, 378, 387, 402n15, 411, 411n20, 415, 415n28, 418n29, 450, 562n15, 742n15, 751n25, 764n40, 765, 782, 782n51, 783n52, 785, 792n62, 794–796, 802, 806, 806n68, 816n75, 940, 961, 963, 965, 1018n44
 Working, E., 255
World Health Report (2000), 194–195
 Wright, J., 146, 280n19
 WTP, 853–855
 Wu, D., 276, 277
 Wu, S., 445, 1052
 Wu specification test, 276–277
 Wu test, 277
 Wynand, P., 779, 958

Y

Yaron, A., 503n9, 508n12
 Yatchew, A., 235, 762, 781
 Yogo, M., 280n19
 Yule–Walker equation, 997

Z

Zabel, J., 961
 Zarembka, P., 214n7
 Zavoina, R., 757n29, 915

1126 Index

Zeileis, A., 463

Zellner, A., 146, 187, 228, 239, 333, 363, 463, 694,
694n2, 697n3, 698n4, 699n5, 700n7,
702n12, 705n14, 706, 714n18, 716,
716n22

Zellner's efficient estimator, 333

zero correlation, 811

zero-inflation models, 905–906

zero-inflation models for major derogatory reports,
906–909

zero-order method, 99

zero overall mean assumption, 22

Zhao, X., 906n66

Zimmer D., 472

Zimmer, M., 730, 957

Zimmermann, K., 757n29



